



SWIFT

2024 Motorhomes



~~~~~  
**Your Home Anywhere**



# Welcome to Swift

# UK's No.1 Brand For

# Leisure Vehicles

We are the UK's largest manufacturer of touring caravans, motorhomes and holiday homes. We've grown from simple foundations back in 1964, when our founder Ken Smith built his first touring caravan, to become the UK's number one leisure vehicle brand.

Our philosophy is to build leisure vehicles that are at the heart of your holiday, whether that be nestled in the countryside or by the sea, searching out active pursuits or simply enjoying a quieter pace of life. With a lifetime of memories waiting to be made, it's time to find your ultimate motorhome!

## Contents

|                      |    |                      |    |
|----------------------|----|----------------------|----|
| The Swift Difference | 4  | Kon-Tiki             | 60 |
| Smart Construction   | 6  | Range at a glance    | 72 |
| Choose your Swift    | 8  | Fabrics              | 74 |
| Carrera              | 10 | Value added partners | 75 |
| Ascari               | 20 | Swift Command        | 76 |
| Voyager 4 Series     | 30 | My Swift Life        | 78 |
| Voyager 5 Series     | 40 | Swift owners clubs   | 79 |
| Escape               | 50 |                      |    |

# Introducing The Swift Difference

There's no better feeling than stepping into your motorhome for a relaxing getaway. We've dedicated countless hours of research and development to ensure that every detail of your motorhome is built to last and luxuriously comfortable, so you can get on with the important things in life – creating memories and enjoying unforgettable holidays.

Only when you choose Swift can you enjoy this exclusive package of benefits, as part of our Swift Difference.



## SMART construction

The UK's leading modern construction system with 'PURE' timberless framing that's impervious to water.\*

\*Coachbuilt motorhomes only



## Efficient living

Swift motorhomes are engineered with efficiency at its core - from aerodynamic exteriors to low energy LED lighting and dual fuel systems to onboard water tanks.



## Long term warranties

Extra reassurance with multiple warranties including an industry leading 10 year bodyshell warranty on coachbuilt motorhomes.\*

\*Terms and Conditions apply



## Supreme comfort

Enjoy an exceptional night's sleep with a Duvalay mattress fitted to all fixed beds and exclusive to Swift.



## All year freedom

Swift motorhomes are tested to the extreme in a cold chamber to ensure they can keep you warm and comfortable whatever the weather.



## My Swift Life

My Swift Life provides owners with a unique personal profile, where you can access information that's specific to your caravan or motorhome, including; outstanding warranty claims, service information and a direct line into our Swift customer experience team.



## Expert training

Launched in 2015, The Swift Academy provides our employees with the opportunity to develop their skills at every stage of their career, encouraging our employees to reach their full potential. We have invested in the Swift Academy because we believe in our people and want to demonstrate our commitment to their development.



## Extensive choice

With over twenty models across our four motorhome ranges, there is a huge choice to suit most budgets and tastes – and all supported by the UK's largest dealer network. Most Swift motorhomes can also be driven with a standard driving license.



## Pioneers

Innovation is our passion. We continually push the boundaries and utilise state-of-the-art design and construction techniques to ensure our products look sensational, work intuitively and function efficiently. Swift Command\*, a product of innovative thinking, monitors and controls onboard systems via a user-friendly panel and smartphone app.

\*Range specific



# Celebrating a decade of excellence with Smart Construction

As the trailblazer in the leisure vehicle industry, we have consistently raised the bar with our unwavering commitment to research and innovation.

This season, we are thrilled to commemorate a significant milestone - a decade of SMART Construction!

Providing you with peace of mind, SMART is an ingenious blend of materials and construction techniques that guarantee enhanced structural integrity, improved insulation and all-important weather resistance - ensuring your investment will stand the tests of touring and help retain your motorhome's residual value.



## Strong

The strong timberless body frame uses 'PURE', a tough, hard polyurethane based product, that is totally impervious to water and has been proven through use.



## Modern

SMART uses modern materials produced using cutting-edge technology and has been developed to ensure the exterior profiles maintain the modern desirable looks our coachbuilt motorhomes are renowned for.



## Aerodynamic

We continue to lead the way in aerodynamics using Computational Fluid Dynamics to help shape the bodyshell for better fuel consumption and safer towing.



## Resilient

All sides, roofs and rears of our coachbuilt motorhomes have outer and inner GRP skins. GRP is more impact resistant than aluminium and can be easily repaired, ensuring long lasting good looks, securing your investment for the future.



## Tested

Extensive safety and durability testing at the Millbrook track, and cold chamber testing down to minus 15°C and beyond puts prototypes through conditions most products will never have to experience in a lifetime.

## PURe Polyurethane framework

The strong timberless body frame uses 'PURe', a tough, hard polyurethane based product that is totally impervious to water, ensuring the longevity of your motorhome.

## Polystyrene core

For ensured accuracy, lightweight polystyrene is cut to shape using the latest water jet technology. With 28mm polystyrene used in the side walls and roof, all Swift motorhomes meet the Grade 3 thermal properties needed for year-round adventures.


## GRP

Manufactured on-site at Swift, our GRP (Glass Reinforced Plastic) is a robust and resilient material. The outer and inner GRP skins are the same thickness, creating a balanced panel, to allow the motorhome to expand and contract in different climatic conditions. Plus, GRP's impact and scratch-resistant qualities ensure long-lasting good looks that in turn help to hold the residual value of your motorhome.

Unlike other manufacturers, our GRP inner skin does not use any jointing tape - all Swift motorhomes have a jointless sealing in the walls, and are embellished with wallpaper finishes.

## Roof

The outer layer of the hail-resistant roof is fully bonded with woven white GRP. All Swift coachbuilt motorhomes are built with increased roof strength to allow for any additional features including air conditioning and satellite dishes (model specific).



## Floor

Each Swift motorhome floor features black woven heavy-duty GRP to the underside which is insulated with 35mm Ravatherm, while the inner layer is manufactured from 9mm marine grade plywood to provide strength to the floor.



Extensive choice

# Choose your Swift

## Carrera Range



### 1 Series

The Carrera panel van is designed for relaxed campervan living whilst practical for everyday use.

Pages 10 - 19

## Ascari Range



### 3 Series

With a narrower bodyshell to standard motorhomes, Ascari offers extra versatility and confidence on smaller roads, making it an ideal introductory coachbuilt motorhome.

Pages 20 - 29

## Voyager Range



### 4 Series

Built on a Ford chassis, the Voyager 4 Series is complete with versatile sleeping options, including an overcab bed – ideal for those seeking a permanent bed make-up that maintains the full living space.

Pages 30 - 39

### 5 Series

Designed for families who love to explore, Voyager 5 Series has an adaptable lounge that seamlessly transforms into travelling seats.

Pages 40 - 49

## Escape Range



### 6 Series

The Swift Escape provides the discerning motorhome owner with a quality, contemporary interior with added extras including a spacious garage.

Pages 50 - 59

## Kon-Tiki Range



### 7 Series

The flagship of the Swift range, Kon-Tiki exudes luxury from every angle from its Ultra-leather Dusk soft furnishing scheme through to the exclusive Swift Command control panel.

Pages 60 - 71

### 8 Series

The tag axle Kon-Tiki models are longer in length, creating an even more spacious interior and extra stability on the road.

# Introducing Carrera


Built on a Fiat Ducato panel van, Carrera is designed for relaxed campervan living whilst practical for trips away, everyday use, sport or business.

As well as an eye-catching exterior and an aesthetically pleasing sleek monochrome-inspired interior, it's packed with all the home comforts you need for off-grid exploring.

## 5 layouts to choose from

-  2 - 4 berths
-  3500kg MTPLM
-  Drivable on standard Cat B license





## Carrera Highlights

### Fiat Ducato panel van

Fiat Ducato panel van with Euro 6D Final 140bhp 2.2 litre engine with 6-speed manual gearbox.

### External amenities

External cold water shower point and an external BBQ point. Plus, 100W solar panel for off-grid adventures.

### Dashboard display

Dashboard including 7" colour display, DAB radio with Apple Carplay™ / Android Auto™, USB and Bluetooth, cab air conditioning and cruise control.

### Equipped kitchen

Equipped kitchen with Dometic 20L oven and grill, two-burner gas hob and a Dometic 90 litre, dual hinged fridge.

### Stain resistant furnishings

Montage soft furnishing scheme featuring stain resistant, easy to clean fabrics.

### Extra touches

**NEW** rear door panels featuring folding storage table and door pockets.

### Control Panel

**NEW** user-friendly control system with 4" LCD colour touchscreen panel for battery selection, battery state, lighting and water systems control.

### Rear lounge

Rear lounge seating with angle seats for increased comfort.



## Carrera

### Highlights

#### Washroom

Washroom and shower tray with fold-away washbasin and separate Vector vanity tap.

#### Power Shower

Ecocamel Jetstorm showerhead for a powerful shower that uses less water.


#### TV points

Two TV points with 230V and 12V sockets and aerial socket (one in 122 & 132).



#### Find out more

Scan this QR code to see more on Carrera.



Carrera  
Full features

Exterior & Construction

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimension and safety regulations
- Fiat Ducato panel van in Lanzarote Grey with body coloured bumper and black cab trims (light bezels, grille and skid plate)
- EN 1646-1 Grade 3 classification for heating and thermal insulation, for sub-zero ambient temperatures, confirmed by cold chamber testing
- Body insulated with high performance 3M® Thinsulate®
- Euro 6D Final 140bhp 2.2 litre engine with 6-speed manual gearbox and ESC & Eco packs as standard
  - ESC includes: anti-slip regulation (ASR), roll over mitigation (ROM) and hill holder
  - ECO includes; stop and start system, smart alternator and more effective energy saving fuel pump
- 75L fuel tank and 19L AD-blue based after treatment system
- Long wheel base 3.5 tonnes (122 & 144)
- Extra-long wheel base 3.5 tonnes (132, 184 & 194)
- Stylish exterior graphics scheme
- 16" alloy wheels
- Fix 'n' Go puncture repair kit
- Daytime running lights
- Reversing sensors
- 100W solar panel and regulator
- Roof-mounted pull-out Thule awning
- LED awning light with rain diverter above external sliding door
- One-piece pressed 22mm thick insulated floor
- One-piece pressed 14mm thick insulated roof panel
- Whale external BBQ point with connection nozzle

- Whale external cold water shower point with hose and head
- Electric Thule side entrance step
- Provision for 2 x 3.9kg gas bottles with fitted butane/propane regulator and propane hose (2 x 6kg on 194)
- Flush fitting, double glazed, tinted acrylic windows with night latch ventilation

Driving

- 'Silver Techno' dashboard design including:
  - 7" touchscreen HD colour display
  - Steering wheel with steering wheel controls
  - Cruise control
  - 3.5" Instrument cluster and infotainment system
  - Cab light, back lighting & floor lights
  - DAB radio with Apple Carplay™ /Android Auto™, USB and Bluetooth
  - Central area with pocket for smartphone, double USB point and cup holders
  - Door pockets with bottle holder
  - Cab air-conditioning
  - Driver and passenger airbags
- ABS brakes
- EBD (electronic brake force distribution)
- Electronic parking brake
- Immobiliser with rolling code
- Variable power steering
- Electrically adjusted and heated wing mirrors with DAB radio aerial
- Electrically operated and tinted cab windows
- Adjustable headlamp height
- Adjustable steering wheel position
- Pleated cab blinds (front and side blinds)

- Removable and bleachable cab carpet
- Central dash mounted holder for full width tablet with USB point
- Driver and passenger captain chairs both with:
  - Height and rake adjustment
  - Swivel base
  - Two armrests
  - Integrated headrest
  - Fully upholstered covers

Living, Relaxing & Sleeping

- Montage soft furnishing scheme featuring stain resistant, easy to clean fabrics
- Sangallo Elm woodgrain with complementary Oxford Canvas and Graphite furniture
- Sangallo Elm and cream gloss locker doors with graphite strip and chrome inlay and concealed handles.
- Overhead locker construction with full length LED strip lighting in the extruded locker base and in roof mounted header rail
- Dark grey Savoy fabric wall covering with stain resistant finish
- Grey French Oak effect, high impact, scratch resistant floor
- Loose fit bleachable habitation carpets
- Forward facing travelling seats with armrest to side wall, incorporating USB socket (except 122 & 132)
- Midi-Heki skylight with flyscreen over front dinette (over rear lounge in 122 & 132)
- Double glazed windows with pleated cassette blinds and flyscreens
- Two rear windows with blinds and flyscreens
- Anthracite interior formed decor panels to sliding and rear doors
- Exterior sliding door flyscreen

- **NEW** exterior rear door flyscreen (except 194)
- **NEW** rear door panels featuring folding storage table and door pockets
- Moulded window surrounds and storage pockets in contrasting Diamante fabrics
- Front sunroof surround with chrome trim and door section to match front side lockers
- Curved slimline wardrobe (122 & 132)
- Rear lounge seating with angle seats for more comfort
- Covered storage for 4-berth front bed make-up (184)
- High-level rear beds allowing storage down the centre (194)
- Roof mounted speakers

Cooking & Eating

- Combination Dometic two-burner stainless steel hob and sink with glass lids
- Dometic 20L oven and grill
- Slate Weft laminate kitchen worktop
- Dometic 90 litre compressor fridge with double hinge for improved access
- Lift-out worktop extension (except 184)
- Fold away waste bin (fixed bin in 184)
- Main table with rotating leaf table extension (except 122 & 132) with Desmo table at rear (except 194)

Washing

- Washroom and shower tray with fold-away washbasin and separate Vector vanity tap
- Vector shower mixer with Ecocamel Jetstorm shower head and retainer, with on/off button for a powerful shower that uses less water
- Tambour washroom door

- Upper vanity cupboard with mirror, LED lighting and decorative panel
- Thetford cassette toilet with electric flush and 18 litre wheeled tank and concealed waterproof toilet roll holder
- Micro-Heki skylight in washroom

Storage

- Positive concealed locker catches throughout for secure storage on the move
- Pan storage and cutlery drawers in kitchen with soft-close runners

Heating & Utilities

- **NEW** control system with 4" LCD colour touchscreen panel featuring:
  - Simple controls for monitoring and managing:
    - Power
    - Battery selection, battery level meter and power usage
    - Selected lighting control with soft-start dimming
    - Water, tank levels and control related features such as pump control
    - Environment monitoring with internal and external temperature and internal humidity levels

- Whale heating and water system
- Control panel facia for heating and hot water
- Truma 'Mono' regulator
- Pressurised fresh water system with self-priming pump and accumulator
- 12V exterior point for pump filling of water tank (pump not supplied) incorporated in the Whale water inlet housing
- Insulated 93 litre fresh water tank
- 58 litre waste water tank
- Electronically operated fresh and waste water drain valves with insulated covers

- Large bore underslung rigid waste pipes
- Winter Pack including tank heaters and pipe insulation
- **NEW** Two fully sealed, long life, 80 Amp-hour (Dir 2006/66/EC) leisure batteries
- Mains 230V supply, via easy-access consumer unit, to sockets, fridge, heater, water heater and battery charger/transformer
- 25 metre mains hook-up cable
- 25 Amp/300 Watt charger/transformer for leisure batteries
- Ultra-low energy LED lighting system throughout interior including:
  - Under-locker LED strip lights
  - Over-locker LED ambient lighting
- Minimum of four chrome 230V sockets and dedicated USB points
- USB socket in armrest rear passenger seats (except 122 & 132)
- Status 570 TV aerial
- Two TV points with 230V and 12V sockets and aerial socket (one in 122 & 132)
- Black branded speakers fitted in roof at rear

Safety & Security

- VIN CHIP™ identification system concealed within construction to deter theft and aid quick recovery
- Key fob operated remote central locking
- Smoke alarm
- Carbon monoxide alarm









Options

- Upgrade to 140bhp, 2.2 litre engine with 9-speed full automatic transmission



Carrera  
Specification



| Carrera                                                                                                               | 122                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                   |                             | 132                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                           |                   | 144                                                                                                                                                                                                                                                                                                                                                                 |  |  |
|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| <div>Specification</div> <div></div> | <div></div> <div></div> |                   |                             | <div></div> <div></div> |                                           |                   | <div></div> <div></div> |  |  |
|                                                                                                                       | Standard                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Optional          | Standard                    | Optional                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Standard                                  | Optional          |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Fiat MultiJet diesel engine                                                                                           | 140 MJT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 140 MJT Auto      | 140 MJT                     | 140 MJT Auto                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 140 MJT                                   | 140 MJT Auto      |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Engine capacity                                                                                                       | 2.2ltr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                   | 2.2ltr                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 2.2ltr                                    |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Engine power                                                                                                          | 140 bhp @ 3500rpm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 140 bhp @ 3500rpm | 140 bhp @ 3500rpm           | 140 bhp @ 3500rpm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 140 bhp @ 3500rpm                         | 140 bhp @ 3500rpm |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Engine torque                                                                                                         | 350Nm @ 1400rpm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 380Nm @ 1400rpm   | 350Nm @ 1400rpm             | 380Nm @ 1400rpm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 350Nm @ 1400rpm                           | 380Nm @ 1400rpm   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Chassis                                                                                                               | Panel Van                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                   | Panel Van                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Panel Van                                 |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Wheel base                                                                                                            | 4.04m / 13' 3"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                   | 4.04m /13' 3"               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 4.04m / 13' 3"                            |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Seat belts (inc. driver)                                                                                              | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                   | 2                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 4                                         |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Berths (sleeping positions)                                                                                           | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                   | 2                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 3                                         |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Overall length                                                                                                        | 6.00m / 19' 8"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                   | 6.36m / 20'11"              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 6.00m / 19' 8"                            |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Overall body width (mirrors folded)                                                                                   | 2.26m / 7' 5"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                   | 2.26m / 7' 5"               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 2.26m / 7' 5"                             |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Overall height                                                                                                        | 2.72m / 8' 11"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                   | 2.72m / 8' 11"              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 2.72m / 8' 11"                            |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Standard awning                                                                                                       | Thule 6300 3.5m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                   | Thule 6300 3.5m             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Thule 6300 3.5m                           |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Maximum technical permissible laden mass (A)                                                                          | 3500kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                   | 3500kg                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 3500kg                                    |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Mass in running order (B)                                                                                             | 2945kg Est                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 2965kg Est        | 3030kg Est                  | 3050kg Est                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 3000kg Est                                | 3020kg Est        |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Maximum user payload (A-B)                                                                                            | 555kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 535kg             | 470kg                       | 450kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 500kg                                     | 480kg             |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Thermal insulation grade                                                                                              | THREE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                   | THREE                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | THREE                                     |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| BED SIZES                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                   |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                           |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Front double                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                   |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                           |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Front offside single                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                   |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 170cm x 90cm / 54cm / 5'7" x 2'11" / 1'9" |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Rear double                                                                                                           | 186cm x 183cm / 6'1" x 6'0"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                   | 186cm x 183cm / 6'1" x 6'0" |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 186cm x 132cm / 6'1" x 4'4"               |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Rear single offside                                                                                                   | 184cm x 64cm / 6'0" x 2'1"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                   | 184cm x 64cm / 6'0" x 2'1"  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                           |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |
| Rear single nearside                                                                                                  | 183cm x 64cm / 6'0" x 2'1"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                   | 183cm x 64cm / 6'0" x 2'1"  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                           |                   |                                                                                                                                                                                                                                                                                                                                                                     |  |  |

| 184                          |  |                   |  | 194 |                                               |  |                   |  |  |
|------------------------------|--|-------------------|--|-----|-----------------------------------------------|--|-------------------|--|--|
|                              |  |                   |  |     |                                               |  |                   |  |  |
| Standard                     |  | Optional          |  |     | Standard                                      |  | Optional          |  |  |
| 140 MJT                      |  | 140 MJT Auto      |  |     | 140 bhp                                       |  | 140 bhp Auto      |  |  |
| 2.2ltr                       |  |                   |  |     | 2.2ltr                                        |  |                   |  |  |
| 140 bhp @ 3500rpm            |  | 140 bhp @ 3500rpm |  |     | 140 bhp @3500rpm                              |  | 140 bhp @ 3500rpm |  |  |
| 350Nm @ 1400rpm              |  | 380Nm @ 1400rpm   |  |     | 350Nm @ 1400rpm                               |  | 380Nm @ 1400rpm   |  |  |
| Panel Van                    |  |                   |  |     | Panel Van                                     |  |                   |  |  |
| 4.04m / 13' 3"               |  |                   |  |     | 4.04m / 13'3"                                 |  |                   |  |  |
| 4                            |  |                   |  |     | 4                                             |  |                   |  |  |
| 4                            |  |                   |  |     | 3                                             |  |                   |  |  |
| 6.36m / 20'11"               |  |                   |  |     | 6.36m / 20'11"                                |  |                   |  |  |
| 2.26m / 7' 5"                |  |                   |  |     | 2.26m / 7' 5"                                 |  |                   |  |  |
| 2.72m / 8' 11"               |  |                   |  |     | 2.72 / 8'11"                                  |  |                   |  |  |
| Thule 6300 3.5m              |  |                   |  |     | Thule 6300 3.5m                               |  |                   |  |  |
| 3500kg                       |  |                   |  |     | 3500kg                                        |  |                   |  |  |
| 3100kg Est                   |  | 3120kg Est        |  |     | 3145kg Est                                    |  | 3165kg Est        |  |  |
| 400kg                        |  | 380kg             |  |     | 355kg                                         |  | 335kg             |  |  |
| THREE                        |  |                   |  |     | THREE                                         |  |                   |  |  |
| 175cm x 120cm / 5'9" x 3'11" |  |                   |  |     | 170cm x 90cm / 54cm / 5'7" x 2'11" / 1'9" Est |  |                   |  |  |
| 186cm x 123cm / 6'1" x 4'0"  |  |                   |  |     | 186cm x 123cm / 6'1" x 4'0" Est               |  |                   |  |  |
|                              |  |                   |  |     |                                               |  |                   |  |  |
|                              |  |                   |  |     |                                               |  |                   |  |  |

- The Maximum User Payload includes:
  - the conventional load (this is the allowance for passengers)
  - essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)
  - optional equipment (items available from the manufacturer over and above the standard specification)
  - personal effects (those items not covered by the above)
- The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank capacity and 1 x 6kg Calor Lite LPG cylinder.
- The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank then the payload will reduce accordingly.
- Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motorhome, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
- Warning - under no circumstances should the maximum technical permissible laden mass of the motorhome be exceeded.**
- Caution - When fitting a tow bar, it must meet certain minimum requirements as specified by Type Approval Regulations. The bar will have marked on it the approval standard (94/20/EC or 55R ECE) and the maximum download, or nose weight, that it can accept. It must fit the manufacturer's approved mounting points and must not obscure the towing vehicle's number plate.**
- Note - the additional weight of the tow bar and trailer nose weight increases the rear axle loading of the motorhome so care should be taken that the rear axle load is not exceeded when towing.**
- To ensure adequate road holding, the load on the front axle, under all conditions must not be less than 40% or more than 70% of the total weight. Care must be taken when distributing loads. The loadings above are maximum loadings and must not be exceeded under any circumstances.

# Introducing Ascari

The Ascari is a narrow coachbuilt motorhome. Streamlined and nimble, it's similar in size to a panel van giving extra driving confidence to anyone new to motorhome travel. Complete with a sleek exterior and a stylish, modern interior, it's filled with all the travelling essentials and more.

## 3 layouts to choose from

-  2 - 4 berths
-  3500kg MTPLM
-  Drivable on standard Cat B license





## Ascari Highlights

### Fiat cab

Fiat cab with Euro 6D Final 140bhp, 2.2 litre engine with 6-speed manual gearbox.

### External amenities

**NEW** external 240V socket, **NEW** external cold water shower point and **NEW** external BBQ point. Plus, 100W solar panel for off-grid adventures.

### Dashboard display

Dashboard including 7" colour display, DAB radio with Apple Carplay™ / Android Auto™, USB and Bluetooth, cab air conditioning, cruise control, reversing camera and more.

### Dinette

Removable dinette table with dedicated storage location.

### Equipped kitchen

Equipped kitchen with Dometic 20L oven and grill, three-burner gas hob, flatbed microwave and a Dometic (Series 8) 90 litre, dual hinged fridge with freezer compartment (133 litre on 384).

### Easy access storage

Lounge seat and bed tops with lift up storage access (except travelling seats).

### Stylish lockers

Stylish locker construction with lightweight Vohringer doors in Sangallo Elm and cream gloss with a graphite middle strip, finished with concealed handles and positive locker catches.

### TV points

TV points with 230V and 12V sockets and aerial socket.



## Ascari

### Highlights

#### Washroom

Washroom and shower tray with fold-away washbasin and separate Vector vanity tap.

#### Power shower

Ecocamel Jetstorm showerhead for a powerful shower that uses less water.

#### Rear lounge

Rear lounge seating with fold-out rear bed make up (344 & 372 only).

#### Comfortable bed

Exclusive Duvalay Duvalite Alto mattress, which includes a platinum support layer and reflex foam for superior durability, while memory fibre increases airflow for a more comfortable sleep (344).

#### Control panel

User-friendly 12V control panel with battery selection, battery state, lighting control and water system controls.

#### Truma heating

Dual fuel Truma combi boiler for excellent heating efficiency and meeting Grade 3 year-round comfort.



#### Find out more

Scan this QR code to see more on Ascari.



## Ascari

### Full features

#### Exterior & Construction

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimensions and safety regulations
- Fiat chassis cab in Lanzarote Grey, with body coloured bumper and silver grille trim
- EN 1646-1 Grade 3 classification for heating and thermal insulation, for sub-zero ambient temperatures, confirmed by cold chamber testing
- Euro 6D Final 140bhp, 2.2 litre engine with 6-speed manual gear box and ESC & Eco Packs as standard
  - ESC includes: anti-slip regulation (ASR), roll over mitigation (ROM) and hill holder
  - ECO includes; stop and start system, smart alternator and more effective energy saving fuel pump
- 75L fuel tank and AD-blue based after treatment system with 19L tank
- SMART construction with full GRP bodyshell:
  - Strong, moisture proof 'PURE' Polyurethane timberless framed bodyshell with HD polystyrene insulation core
  - Balanced panel 31mm sandwich side walls with GRP outer and inner skin
  - 70mm sandwich floor construction with GRP outer skin, ply upper and high rigidity Styrofoam core
  - 31mm sandwich construction hail resistant exterior GRP roof fully bonded for extra strength and flatness, and GRP inner skin
  - Full height GRP rear panel
- GRP front low-line pod with opening panoramic sunroof
- Compact narrow bodyshell 2000mm internal width and 1947mm interior height
- White extruded skirts link with full GRP rear panel
- Distinctive streamlined exterior front profile
- Exterior graphics scheme coordinated with cab
- 16" alloy wheels
- Spare wheel on under-slung carrier
- Daytime running lights
- Low energy LED lighting
  - Exclusive styled front marker lights
  - Side marker lights
  - Exclusive rear light clusters
  - High-level brake light
  - Exterior awning light
- **NEW** external BBQ point
- **NEW** external cold water shower point
- **NEW** external 240v socket
- Main habitation door with window, bin, central locking and integrated door retainer
- Provision for 2 x 3.9kg gas bottles with fitted butane/propane regulator and propane hose (2 x 6 kg on 384)
- Flush fitting, double glazed, tinted acrylic windows with night latch ventilation
- Reversing camera with 7" LCD screen rear view mirror
- 100W solar panel and regulator
- Heavy-duty rear chassis members ready for optional towbar
- Bike rack fixing rails fitted to the rear
- All models have a MTPLM of 3500kg and can be driven on a normal category B driving license

#### Driving

- Dashboard design including:
  - 7" touchscreen HD colour display
  - Steering wheel with steering wheel controls
  - 3.5" Instrument clusters and infotainment system
  - Cab light, back lighting & floor lights
  - DAB radio with Apple Carplay™ / Android Auto™, USB and Bluetooth
  - Central area with pocket for smartphone, double USB point and cup holders
  - Cruise control
  - Cab air-conditioning
  - Driver and passenger airbags
  - Electronic Parking Brake
- ABS brakes
- EBD (electronic brake force distribution)
- Immobiliser with rolling code
- Variable power steering
- Electrically adjusted and heated wing mirrors with DAB radio aerial
- Electrically operated and tinted cab windows
- Adjustable headlamp height
- Adjustable steering wheel position
- Pleated cab blinds (front and side blinds)
- Removable and bleachable cab carpet
- Central dash mounted holder for full width tablet with USB point

- Driver and passenger captain chairs both with:
  - Position, height and rake adjustment
  - Swivel base
  - Two armrests
  - Integrated headrest
  - Fully upholstered covers
  - Seat base surrounds

#### Living, Relaxing & Sleeping

- River soft furnishing scheme featuring stain resistant, easy to clean fabrics with complementary scatter cushions
- Sangallo Elm woodgrain with complementary Oxford Canvas and Graphite furniture
- Stylish locker construction with Vohringer door in Sangallo Elm, graphite strip and cream gloss lower section and concealed handles
- Grey French Oak effect, high impact, scratch resistant floor
- Sectioned removable and bleachable carpets for flexibility
- Removable stepwell mat
- Two-position front seating arrangement with two forward facing travelling seats
- Ergonomically shaped rear travelling seats
- Lap and diagonal seat belts on all designated passenger seats
- Wall mounted armrest, incorporating USB socket, next to travelling seat
- High performance, durable Swift AirWave foam in seats and backrests for greater seating and sleeping comfort
- Seat backrest ventilation boards
- Lounge bench seat cushions and bed mattresses supported by beech slats for extra comfort
- Exclusive Duvalay Duvalite Alto mattress, which includes a platinum support layer and reflex foam for superior durability, while memory fibre increases airflow for a more comfortable sleep (344)
- Height adjustable drop-down bed with drop level to seats (344 only)
- Rear twin fixed beds (384 only)
- Rear side lockers under drop-down bed (344 only)
- Rear side storage units and shelving (384 only)
- Rear lounge seating with fold-out rear bed make up (344 & 372 only)
- Rooflight with flyscreen and adjustable blind
- Pleated four sided cassette blinds with flyscreens on all windows
- Sangallo Elm rails fitted above and below windows with upholstered pads covering the blinds
- Easy action concertina door flyscreen (384 only)

#### Cooking & Eating

- Dometic three-burner gas hob with glass lid (344 & 372 only)
- Stainless steel sink with glass lid and integrated tap (344 & 372 only)
- Dometic Combination three-burner gas hob and stainless steel sink with glass lid and integrated tap (384 only)
- Dometic 20L oven/grill
- China locker with built-in flatbed microwave oven with digital controls
- Under counter Dometic (Series 8) 90 litre manual energy selection fridge with 230V, gas and 12V operation incorporating 8 litre removable freezer compartment (344 & 372 only)

- Dometic (Series 10) 133 litre, tall slimline, dual hinged, automatic energy selection fridge with 230V, gas and 12V operation incorporating 12 litre removable freezer compartment (384 only)
- Slate Weft laminate kitchen worktop with textured finish
- Foldaway kitchen worktop extension at rear (372 only)
- Sink storage including lift-out/slot-in flap
- Kitchen rooflight with flyscreen and blind
- Dinette table with dedicated storage location
- Fold up table on rear wall for use when lounging (344 only)

#### Washing

- Washroom and shower tray with fold-away washbasin and separate Vector vanity tap
- Vector shower mixer with Ecocamel Jetstorm showerhead and retainer, with on/off button for a powerful shower that uses less water
- Tambour washroom door
- Thetford cassette toilet with electric flush and 18 litre wheeled tank and concealed waterproof toilet roll holder
- Upper vanity cupboard with mirror, LED lighting and decorative panel
- Micro-Heki rooflight with flyscreen

#### Storage

- Positive concealed locker catches throughout for secure storage on the move
- Lounge seat and bed tops with lift up storage access (except travelling seats)
- Drawer storage under oven

#### Heating & Utilities

- EC400 Control unit with simple controls for monitoring and managing:
  - Battery selection and battery level meter
  - Selected lighting control
  - Water system controls and tank levels
- Dual fuel Truma Combi boiler for excellent heating efficiency
- Digital programmable controller for heating and hot water
- Truma 'Crash Sensor Mono' regulator for en-route use of heating and water heating
- Pressurised fresh water system with self-priming pump and accumulator
- 12V exterior power point for pump filling of water tank (pump not supplied)
- 100 litre internal fresh water tank with level sensor
- 50 litre waste water tank with level sensor
- Electronically operated drain valves on fresh and waste water tanks
- Winter Pack fitted with waste water tank heater with en-route heating to keep defrosted, insulated drain valve covers and fridge vent covers
- Fully sealed, long life, 80 Amp-hour (Dir 2006/66/EC) leisure battery below driver's seat
- Mains 230V supply, via easy-access consumer unit, to sockets, fridge, heater, water heater and battery charger/transformer
- 25 metre mains hook-up cable
- 25 Amp/300 Watt charger/transformer for leisure batteries
- Ultra-low energy LED lighting system throughout interior including:
  - Downlights
  - Over-locker LED ambient lighting in header and under base
  - Adjustable cab reading lights
- Strip lighting and downlights in china locker
- A minimum of four chrome 230V sockets and increased dedicated USB points including under locker USB points
- USB socket for rear passenger seats
- Status 570 TV aerial
- TV points with 230V and 12V sockets and aerial socket



#### Safety & Security

- VIN CHIP™ identification system concealed within construction to deter theft and aid quick recovery
- Single key for all habitation doors
- Key fob operated remote central locking
- Smoke alarm
- Carbon monoxide alarm

#### Customer Service

- Manufacturer backed 10 year bodyshell warranty

#### Options

##### Factory fit

- Upgrade to 140bhp, 2.2 litre automatic transmission

- Detachable towbar

- Thule roll-out awning

##### Dealer fit

- Thule Elite G2 two cycle rack\*

\*Dependent on model, visibility through rear camera may be reduced when bicycles are carried on the optional bike carrier



# Introducing Voyager 4 Series

Built on a Ford chassis for travelling peace of mind, Voyager has been designed for families who love to explore. With a refined and sleek interior, Voyager 4 Series maximises space without compromising on design or on-board amenities.

## 3 layouts to choose from

-  4 - 5 berths
-  3500kg MTPLM\*
-  Drivable on standard Cat B license\*

\*Based on standard specification. Weight increases above 3500kg when adding auto gear box to 475 and 485 models. Auto options available at 3500kg with four travelling seats





## Voyager 4 Series

### Highlights

#### Ford cab

Ford Transit Skeletal chassis with Euro 6D 155bhp, 2.0 litre TDCi EcoBlue engine with 6-speed manual gearbox.

#### External amenities

**NEW** external cold water shower point and **NEW** external BBQ point. Plus streamlined, lightweight 100W solar panel for off-grid adventures.

#### Garage

Rear garage with lighting, heating and sockets, with access doors on both sides (exterior locker on 475).

#### Dashboard display

Dashboard including 9" touchsreen display, DAB radio with Apple Carplay™ / Android Auto™, USB and Bluetooth, cab air conditioning, cruise control, reversing camera and more.

#### Dinette

Fixed travelling seats and a comfortable four-seater front dinette on all models (driver and passenger seats swivel around to create four seats on 494).

#### Fully equipped kitchen

Fully equipped kitchen with Thetford oven and grill, three-burner gas hob, an electric hotplate and a Dometic (Series 10) 133 litre, dual hinged fridge with freezer compartment.

#### Stain resistant furnishings

Lucio soft furnishing scheme featuring stain resistant, easy to clean fabrics with complementary scatter cushions.

#### Easy access storage

Spring-assisted lounge seats and bed tops for easy storage access.



## Voyager 4 Series

### Highlights

#### Washroom

Washroom and shower tray with fold-away washbasin and separate Vector vanity tap.

#### Power shower

Ecocamel Jetstorm showerhead for a powerful shower that uses less water.

#### Comfortable beds

Overcab fixed bed on all models. Exclusive Duvalay Duvalite Alto mattress, which includes a platinum support layer and reflex foam for superior durability, while memory fibre increases airflow for a more comfortable sleep (fixed and overcab beds).

#### Truma heating

Dual fuel Truma combi boiler for excellent heating efficiency and meeting Grade 3 year-round comfort.



### Find out more

Scan this QR code to see more on Voyager 4 series.



## Voyager 4 Series

Full features

### Exterior & Construction

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimensions and safety regulations
- Ford Transit Skeletal chassis cab in Magnetic Grey
- Euro 6D 155bhp, 2.0 litre TDCi EcoBlue engine with 6-speed manual transmission
- Partial body colour front bumper and chrome grille with wide bodyside grey mouldings
- EN 1646-1 Grade 3 classification for heating and thermal insulation, for sub-zero ambient temperatures, confirmed by cold chamber testing
- 70L fuel tank and AdBlue based after treatment system with 24L tank
- SMART construction with full GRP bodyshell:
  - White extruded skirts link with full height GRP rear panel
  - Distinctive streamlined exterior front profile
  - Striking exterior graphics scheme coordinated with cab
- External cold water shower point
- External BBQ point
- Stylish 16" alloy wheels with locking wheel nuts
- Tyre Pressure Monitoring System
- Fix & Go puncture repair kit
- Low energy LED lighting
- 100W solar panel and regulator
- Wide habitation door (600mm) with window, flyscreen, bin, umbrella stand and central locking
- Rear garage with lighting, heating, sockets, hanging provision and coat hooks with access doors on both sides (485 & 494)
- Exterior access locker door into bed box (475)

- Provision for 2 x 6kg bottles with fitted butane / propane regulator and propane hose
- Flush fitting, double glazed, tinted acrylic windows with night latch ventilation
- Rear reversing camera
- Bike rack fixing rails fitted to the rear
- All models have a MTPLM of 3500kg and can be driven on a normal category B driving license

### Driving

- Dashboard design including:
  - Zenec Xzent F-285 infotainment system with 9" touchscreen, integrated into dashboard, including DAB/FM RDS Radio with Apple Carplay™ / Android Auto™, USB, Bluetooth and reversing camera image with gridlines
  - Steering wheel with steering wheel controls
  - Dash with lockable glove box, storage trays on top, cup holders and bottle holders each side
  - 2 x 12V sockets (centre and in drivers side storage tray) and USB socket in centre
  - Internal door panel with map pockets
  - Cruise control
  - Driver and passenger airbags
  - Manual cab air-conditioning
- Electronic Stability Control (ESC) with Curve Control, Load Adaptive Control (LAC) and Roll Stability Control (RSC)
- Emergency Brake Assist (EBA) and emergency brake warning
- Immobiliser – Safeguard Passive Anti-Theft System (PATs)
- Electric power-assisted steering (EPAS)
- Eco stop/start system
- Front fog lights

- Halogen Quad Beam headlamps with static bending
- Daytime running lights
- Wide dual power heated signal mirrors
- Electrically operated and tinted cab windows
- Adjustable steering wheel position
- Overhead shelf console
- Concertina cab blinds (windscreen and side blinds)
- Driver and passenger captain chairs both with:
  - Position, height and rake adjustment
  - Swivel base
  - Two armrests
  - Integrated headrest
  - Fully upholstered covers

### Living, Relaxing & Sleeping

- Lucio soft furnishing scheme featuring stain resistant, easy to clean fabrics with complementary scatter cushions
- Decorative Sangallo Elm woodgrain detail with complementary Oxford Tajet, Toro Tela and Grau furniture
- Cream gloss, soft-close upper locker doors with feature inlays
- Voiles and mounted blinds around windows
- Grey French Oak effect, high impact, scratch resistant floor lino
- Sectioned removable and bleachable carpets in lounge and kitchen
- Removable stepwell mat
- Four-position front dinette seating with two forward facing and one rear facing travelling seats (475 & 485)
- Isofix fitted to forward facing seat frames
- Two-position front seating arrangement with two forward facing travelling seats (494 only)

- Lap and diagonal seat belts on all designated passenger seats
- Ergonomically contoured bedding and sumptuous fabrics for increased comfort
- Seat backrest ventilation boards
- Bed mattresses supported by beech slats for extra comfort (model specific, excludes luton overcab bed)
- Exclusive Duvalay Duvalite Alto mattress, which includes a platinum support layer and reflex foam for superior durability, while memory fibre increases airflow for a more comfortable sleep (fixed and overcab beds)
- Luton overcab fixed beds
- Pleated cassette blinds with flyscreens on all windows
- Easy action concertina door flyscreen
- High internal roof height of 2110mm

### Cooking & Eating

- Thetford Triplex combination oven and grill, plus a three-burner gas hob with electric hotplate, all with electronic ignition. Hob features a glass lid with automatic gas shut-off functionality
- Dometic (Series 10) 133 litre, tall slimline, dual hinged, automatic energy selection fridge with 230V, gas and 12V operation incorporating 12 litre removable freezer compartment
- Slate Weft laminate kitchen worktop with textured finish and durable stainless steel sink
- Lift-up worktop to increase work area
- Enhanced chrome effect swivel spout tap
- Illuminated Beige Weft laminate kitchen splashback

- Removable drainer and food grade nylon chopping board nestle together for easy storage
- Kitchen rooflight with flyscreen and blind

### Washing

- Washroom and shower tray with fold-away washbasin and separate Vector vanity tap
- Tambour washroom door
- Towel ring
- Ecocamel Jetstorm showerhead with on/off button for a powerful shower that uses less water
- Crema Bianca marble effect shower wallboard
- Gloss white vanity bowl and feature shelf with upper and lower storage cupboards, mirror and Vector chrome effect mixer tap
- Thetford cassette toilet with electric flush and 18 litre wheeled tank
- Concealed waterproof toilet roll holder
- Micro-Heki skylight with flyscreen in washroom
- 32mm thick entrance door with domestic style mortice lock and handle

### Storage

- Positive locker catches throughout for secure storage on the move with chrome handles
- Spring-assisted lounge seats and bed tops for easy storage access

### Heating & Utilities

- EC400 Control unit with simple controls for monitoring and managing:
  - Battery selection and battery level meter
  - Selected lighting control
  - Water system controls and tank levels
- Dual fuel Truma combi boiler for excellent heating efficiency
- Digital programmable controller for heating and hot water
- Truma 'Crash Sensor Mono' regulator for en-route use of heating and water heating
- Pressurised fresh water system with self-priming pump and accumulator
- 12V exterior power point for pump filling of water tank (pump not supplied)
- Underfloor mounted 110 litre fresh water tank with level sensor
- Underfloor mounted 85 litre waste water tank with level sensor
- Manually operated drain valves on fresh and waste water tanks
- Winter Pack with water tank heaters with en-route heating to keep defrosted and fridge vent covers
- Fully sealed, long life, 80 Amp-hour (Dir 2006/66/EC) leisure battery below rear travelling seat
- Mains 230V supply via easy-access consumer unit to sockets, fridge, heater, water heater and battery charger/transformer

- 25 metre mains hook-up cable
- 25 Amp/300 Watt charger/transformer for leisure batteries
- Ultra-low energy LED lighting system:
  - Downlights
  - Over-locker ambient lighting
  - Adjustable cab reading lights
  - Strip lighting in china locker
- A minimum of four 230V chrome sockets
- Dedicated USB points including under-locker USB points
- USB point for rear passenger seats
- TV points with 230V and 12V sockets and aerial socket

### Safety & Security

- VIN CHIP™ identification system concealed within construction to deter theft and aid quick recovery
- Single key for all habitation doors
- Key fob operated remote central locking of cab doors and habitation door
- Smoke alarm
- Carbon monoxide alarm

### Customer Service

- Manufacturer backed 10 year bodyshell warranty

### Options

#### Factory fit

- Upgrade to 155bhp, 2.0 litre automatic transmission\*

#### Dealer fit

- Thule Elite G2 two cycle rack\*\*
- Flatbed microwave oven
- Automatic option available at 3500kg with four travel seats (475/485)

\* Auto upgrade increases overall weight to 3550kg (475/485)

\*\*Dependent on model, visibility through rear camera may be reduced when bicycles are carried on the optional bike carrier



Voyager 4 Series  
Specification



|                                              | 475                          |              | 485                         |              | 494                         |              |
|----------------------------------------------|------------------------------|--------------|-----------------------------|--------------|-----------------------------|--------------|
|                                              |                              |              |                             |              |                             |              |
|                                              |                              |              |                             |              |                             |              |
|                                              | Standard                     | Optional     | Standard                    | Optional     | Standard                    | Optional     |
| Ford EcBlue diesel engine                    | 155 bhp                      | 155 bhp Auto | 155 bhp                     | 155 bhp Auto | 155 bhp                     | 155 bhp Auto |
| Engine capacity                              | 2.0ltr                       |              | 2.0ltr                      |              | 2.0ltr                      |              |
| Engine power                                 | 155bhp @ 3500rpm             |              | 155bhp @ 3500rpm            |              | 155bhp @ 3500rpm            |              |
| Engine torque                                | 390Nm @ 2500rpm              |              | 390Nm @ 2500rpm             |              | 390Nm @ 2500rpm             |              |
| Wheel base                                   | 4.52m / 14' 10"              |              | 4.52m / 14' 10"             |              | 4.52m / 14' 10"             |              |
| Seat belts (inc. driver)                     | 5                            |              | 5                           |              | 4                           |              |
| Berths (sleeping positions)                  | 5                            |              | 5                           |              | 4                           |              |
| Overall length                               | 7.54m / 24' 9"               |              | 7.54m / 24' 9"              |              | 7.54m / 24' 9"              |              |
| Overall body width (mirrors folded)          | 2.37m / 7' 9"                |              | 2.37m / 7' 9"               |              | 2.37m / 7' 9"               |              |
| Overall height                               | 2.98m / 9' 9"                |              | 2.98m / 9' 9"               |              | 2.98m / 9' 9"               |              |
| Maximum technical permissible laden mass (A) | 3500kg                       | 3550kg       | 3500kg                      | 3550kg       | 3500kg                      |              |
| Mass in running order (B)                    | 3070kg Est                   | 3100kg Est   | 3070kg Est                  | 3100kg Est   | 3088kg Est                  | 3118kg Est   |
| Maximum user payload (A-B)                   | 430kg Est                    | 450kg Est    | 430kg Est                   | 450kg Est    | 412kg Est                   | 382kg Est    |
| Thermal insulation grade                     | THREE                        |              | THREE                       |              | THREE                       |              |
| Maximum trailer weight                       | 2000kg                       |              | 2000kg                      |              | 2000kg                      |              |
| Gross train weight                           | 5500kg                       | 4250kg       | 5500kg                      | 4250kg       | 5500kg                      | 4250kg       |
| BED SIZES                                    |                              |              |                             |              |                             |              |
| Front offside single                         | 193cm x 100cm / 6'4" x 3'3"  |              | 193cm x 100cm / 6'4" x 3'3" |              |                             |              |
| Rear double                                  | 200cm x 147cm / 6'7" x 4'10" |              | 206cm x 115cm / 6'9" x 3'9" |              | 183cm x 143cm / 6'0" x 4'8" |              |
| Rear nearside single                         |                              |              | 191cm x 78cm / 6'3" x 2'7"  |              |                             |              |
| Rear offside single                          |                              |              | 191cm x 78cm / 6'3" x 2'7"  |              |                             |              |
| Luton bed                                    | 190cm x 133cm / 6'3" x 4'4"  |              | 190cm x 133cm / 6'3" x 4'4" |              | 190cm x 133cm / 6'3" x 4'4" |              |

1. The Maximum User Payload includes:

a. the conventional load (this is the allowance for passengers)

b. essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)

c. optional equipment (items available from the manufacturer over and above the standard specification)

d. personal effects (those items not covered by the above)
2. The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank capacity and 1 x 6kg Calor Lite LPG cylinder.
3. The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank then the payload will reduce accordingly.
4. Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motorhome, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
5. **Warning - under no circumstances should the maximum technical permissible laden mass of the motorhome be exceeded.**
6. **Caution - When fitting a tow bar, it must meet certain minimum requirements as specified by Type Approval Regulations. The bar will have marked on it the approval standard (94/20/EC or 55R ECE) and the maximum download, or nose weight, that it can accept. It must fit the manufacturer's approved mounting points and must not obscure the towing vehicle's number plate.**
7. **Note - the additional weight of the tow bar and trailer nose weight increases the rear axle loading of the motorhome so care should be taken that the rear axle load is not exceeded when towing.**
8. To ensure adequate road holding, the load on the front axle, under all conditions must not be less than 40% or more than 70% of the total weight. Care must be taken when distributing loads. The loadings above are maximum loadings and must not be exceeded under any circumstances.

Est = Estimate



Unlock Voyager's smart side

For added peace of mind, FordPass provides the ability to remote lock and unlock your vehicle, check its last location, view the health status and more.

# Introducing Voyager 5 Series

Voyager 5 Series boasts real family appeal. With Aguti travelling seats, you can switch from sociable dining to functional travelling seats with ease.

## 5 layouts to choose from

-  4 - 6 berths
-  3500kg MTPLM
-  Drivable on standard Cat B license





## Voyager 5 Series

### Highlights

#### Ford cab

Ford Transit Skeletal chassis with Euro 6D 155bhp, 2.0 litre TDCi EcoBlue engine with 6-speed manual gearbox.

#### External amenities

**NEW** external cold water shower point and **NEW** external BBQ point. Plus streamlined, lightweight 100W solar panel for off-grid adventures.

#### Garage

Rear garage with lighting, heating and sockets, with access doors on both sides (except 564).

#### Dashboard display

Dashboard including 9" touchsreen display, DAB radio with Apple Carplay™ / Android Auto™, USB and Bluetooth, cab air conditioning, cruise control, reversing camera and more.

#### Aguti travelling seats

Fold down Aguti travelling seats that transform into a front parallel lounge. Travelling seats are fitted with ISOfix and **NEW** cup holders.

#### Fully equipped kitchen

Fully equipped kitchen with Thetford oven and grill, three-burner gas hob, an electric hotplate and a Dometic (Series 10) 133 litre, dual hinged fridge with freezer compartment.

#### Easy access storage

Spring-assisted lounge seats and bed tops for easy storage access (except travelling seats).

## Voyager 5 Series

### Highlights

#### Spacious washroom

Spacious washroom design with a separate shower cubicle and toilet (except 574).

#### Power shower

Ecocamel Jetstorm showerhead for a powerful shower that uses less water, plus **NEW** shower duckboard.

#### Comfortable sleeping

Exclusive Duvalay Duvalite Alto mattress, which includes a platinum support layer and reflex foam for superior durability, while memory fibre increases airflow for a more comfortable sleep (fixed and drop down beds).

#### Truma heating

Dual fuel Truma combi boiler for excellent heating efficiency and meeting Grade 3 year-round comfort featuring en-route heating.



#### Find out more

Scan this QR code to see more on Voyager 5 Series.



## Voyager 5 Series

### Full features

#### Exterior & Construction

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimensions and safety regulations
- Ford Transit Skeletal chassis cab in Magnetic Grey
- Euro 6D 155bhp, 2.0 litre TDCi EcoBlue engine with 6-speed manual transmission
- Partial body colour front bumper and chrome grille with wide bodyside grey mouldings
- EN 1646-1 Grade 3 classification for heating and thermal insulation, for sub-zero ambient temperatures, confirmed by cold chamber testing
- 70L fuel tank and AdBlue based after treatment system with 24L tank
- SMART construction with full GRP bodyshell:
  - GRP front low line pod with opening panoramic sunroof
  - White extruded skirts link with full height GRP rear panel
  - Distinctive streamlined exterior front profile
  - Striking exterior graphics scheme coordinated with cab
- **NEW** external cold water shower point
- **NEW** external BBQ point
- Stylish 16" alloy wheels with locking wheel nuts
- Tyre Pressure Monitoring System
- Fix & Go puncture repair kit
- Low energy LED lighting
- 100W solar panel and regulator
- Wide habitation door (600mm) with window, flyscreen, bin, umbrella stand and central locking
- Rear garage with lighting, heating, sockets, hanging provision and coat hooks with access doors on both sides (except 564)
- Exterior access locker door in to bed box (564 & 574)
- Provision for 1 x 6kg and 1 x 13kg gas bottles with fitted butane/ propane regulator and propane hose
  - Provision for 2 x 6kg (574)
  - Provision for 1 x 6kg and 1 x 13kg (except 574)
- Flush fitting, double glazed, tinted acrylic windows with night latch ventilation
- Rear reversing camera
- Bike rack fixing rails fitted to the rear (except 574)
- All models have a MTPLM of 3500kg and can be driven on a normal category B driving license

#### Driving

- Dashboard design including:
  - Zenec Xzent F-285 infotainment system with 9" touchscreen, integrated into dashboard, including DAB/FM RDS Radio with Apple Carplay™ / Android Auto™, USB, Bluetooth and reversing camera image with gridlines
  - Steering wheel with steering wheel controls
  - Dash with lockable glove box, storage trays on top, cup holders and bottle holders each side
  - 2 x 12V sockets (centre and in drivers side storage tray) and USB socket in centre
  - Internal door panel with map pockets
  - Cruise control
  - Driver and passenger airbags
  - Manual cab air-conditioning
- Electronic Stability Control (ESC) with Curve Control, Load Adaptive Control (LAC) and Roll Stability Control (RSC)
- Emergency Brake Assist (EBA) and emergency brake warning

- Immobiliser – Safeguard Passive Anti-Theft System (PATS)
- Electric power-assisted steering (EPAS)
- Eco stop/start system
- Front fog lights
- Halogen Quad Beam headlamps with static bending
- Daytime running lights
- Wide dual power heated signal mirrors
- Electrically operated and tinted cab windows
- Adjustable steering wheel position
- Overhead shelf console
- **NEW** concertina cab blinds (windscreen and side blinds)
- Driver and passenger captain chairs both with:
  - Position, height and rake adjustment
  - Swivel base
  - Two armrests
  - Integrated headrest
  - Fully upholstered covers

#### Living, Relaxing & Sleeping

- Souvel soft furnishing scheme featuring stain resistant, easy to clean fabrics with complementary scatter cushions
- Decorative Sangallo Elm woodgrain detail with complementary Oxford Tajet, Toro Tela and Grau furniture
- Cream gloss, soft-close upper locker doors with feature inlays
- Voiles and mounted blinds around windows
- Grey French Oak effect, high impact, scratch resistant floor lino
- Sectioned removable and bleachable carpets in lounge and kitchen
- Removable stepwell mat

- Entrance doorway feature panel with illuminated grab handle and coat hook
- Front parallel lounge with fold-down Aguti travelling seats incorporating ISOfix
- **NEW** cup holders accessible when Aguti travelling seats in position
- Lap and diagonal seat belts on all designated passenger seats
- Ergonomically contoured bedding and sumptuous fabrics for increased comfort
- Seat backrest ventilation boards
- Bed mattresses supported by beech slats for extra comfort (model specific)
- Exclusive Duvalay Duvalite Alto mattress, which includes a platinum support layer and reflex foam for superior durability, while memory fibre increases airflow for a more comfortable sleep (fixed and drop down beds)
- Height adjustable electric drop-down bed over front lounge (540 & 574)
- Pleated cassette blinds with flyscreens on all windows
- Easy action concertina door flyscreen
- High internal roof height of 2110mm

#### Cooking & Eating

- Thetford Triplex combination oven and grill, plus a three-burner gas hob with electric hotplate, all with electronic ignition. Hob features a glass lid with automatic gas shut-off functionality
- Dometic (Series 10) 133 litre, tall slimline, dual hinged, automatic energy selection fridge with 230V, gas and 12V operation incorporating 12 litre removable freezer compartment
- Slate Weft laminate kitchen worktop with textured finish and durable stainless steel sink
- Lift-up worktop to increase work area
- **NEW** enhanced chrome effect swivel spout tap
- Illuminated Beige Weft laminate kitchen splashback
- Removable drainer and food grade nylon chopping board nestle together for easy storage
- Mapa electric rise and fall table
- Kitchen rooflight with flyscreen and blind

#### Washing

- Washroom design with a level floor, combined vanity unit and sink bowl, toilet and separate shower (except 574)
- Dedicated shower cubicle with shower mixer tap, riser bar and soap dish (except 574)
- **NEW** redesigned washroom and shower tray with fold-away washbasin and separate Vector vanity tap (574)
- Tambour washroom door (574)
- **NEW** shower duckboard
- **NEW** shower hanging rail and coat hooks
- Quadrant shower lighting (except 574)
- Towel ring
- Ecocamel Jetstorm showerhead with on/off button for a powerful shower that uses less water
- Crema Bianca marble effect shower wallboard
- Concrete effect sidewall GRP in shower with Tournai Stone floor vinyl on raised floor in vanity area (except 574)
- Gloss white vanity bowl with upper and lower storage cupboards, mirror and Vector chrome effect mixer tap

- Thetford cassette toilet with electric flush and 18 litre wheeled tank
- Micro-Heki skylight with flyscreen in washroom
- 32mm thick entrance door with domestic style mortice lock and handle (except 540, which has a tambour door)

#### Storage

- Positive locker catches throughout for secure storage on the move with chrome handles
- Spring-assisted lounge seats and bed tops for easy storage access (except travelling seats)

#### Heating & Utilities

- EC400 Control unit with simple controls for monitoring and managing:
  - Battery selection and battery level meter
  - Selected lighting control
  - Water system controls and tank levels
- Dual fuel Truma combi boiler for excellent heating efficiency
- Digital programmable controller for heating and hot water
- Truma 'Crash Sensor Mono' regulator for en-route use of heating and water heating
- Pressurised fresh water system with self-priming pump and accumulator
- 12V exterior power point for pump filling of water tank (pump not supplied)
- Underfloor mounted 110 litre fresh water tank with level sensor
- Underfloor mounted 85 litre waste water tank with level sensor
- Manually operated drain valves on fresh and waste water tanks
- Winter Pack with water tank heaters with en-route heating to keep defrosted and fridge vent covers

- Fully sealed, long life, 80 Amp-hour (Dir 2006/66/EC) leisure battery below rear travelling seat
- Mains 230V supply, via easy-access consumer unit, to sockets, fridge, heater, water heater and battery charger/transformer
- 25 metre mains hook-up cable
- 25 Amp/300 Watt charger/transformer for leisure batteries
- Ultra-low energy LED lighting system:
  - Downlights
  - Over-locker ambient lighting
  - Adjustable cab reading lights
  - Strip lighting in china locker
- A minimum of four 230V chrome sockets
- Dedicated USB points including under-locker USB points
- USB point for rear passenger seats
- TV points with 230V and 12V sockets and aerial socket

#### Safety & Security

- VIN CHIP™ identification system concealed within construction to deter theft and aid quick recovery
- Single key for all habitation doors
- Key fob operated remote central locking of cab doors and habitation door
- Smoke alarm
- Carbon monoxide alarm

#### Customer Service

- Manufacturer backed 10 year bodyshell warranty

#### Options


##### Factory fit

- Upgrade to 155bhp, 2.0 litre automatic transmission

##### Dealer fit

- Thule Elite G2 two cycle rack\*
- Flatbed microwave oven

\*Dependent on model, visibility through rear camera may be reduced when bicycles are carried on the optional bike carrier



## Unlock Voyager's smart side

For added peace of mind, FordPass provides the ability to remote lock and unlock your vehicle, check its last location, view the health status and more.



Voyager 5 Series  
Specification



|                                              | 540                                         |              | 564                                            |              | 574                                         |              |
|----------------------------------------------|---------------------------------------------|--------------|------------------------------------------------|--------------|---------------------------------------------|--------------|
|                                              |                                             |              |                                                |              |                                             |              |
|                                              |                                             |              |                                                |              |                                             |              |
|                                              | Standard                                    | Optional     | Standard                                       | Optional     | Standard                                    | Optional     |
| Ford EcBlue diesel engine                    | 155 bhp                                     | 155 bhp Auto | 155 bhp                                        | 155 bhp Auto | 155 bhp                                     | 155 bhp Auto |
| Engine capacity                              | 2.0ltr                                      |              | 2.0ltr                                         |              | 2.0ltr                                      |              |
| Engine power                                 | 155 bhp @ 3500rpm                           |              | 155 bhp @ 3500rpm                              |              | 155 bhp @ 3500rpm                           |              |
| Engine torque                                | 390Nm @ 2500rpm                             |              | 390Nm @ 2500rpm                                |              | 390Nm @ 2500rpm                             |              |
| Wheel base                                   | 3.95m / 13' 0"                              |              | 3.95m / 13' 0"                                 |              | 4.52m / 14' 10"                             |              |
| Seat belts (inc. driver)                     | 4                                           |              | 4                                              |              | 4                                           |              |
| Berths (sleeping positions)                  | 4                                           |              | 4                                              |              | 6                                           |              |
| Overall length                               | 7.01m / 23' 0"                              |              | 7.22m / 23' 8"                                 |              | 7.73m / 25' 4"                              |              |
| Overall body width (mirrors folded)          | 2.37m / 7' 9"                               |              | 2.37m / 7' 9"                                  |              | 2.37m / 7' 9"                               |              |
| Overall height                               | 2.87m / 9' 5" Est                           |              | 2.87m / 9' 5" Est                              |              | 2.87m / 9' 5"                               |              |
| Maximum technical permissible laden mass (A) | 3500kg                                      |              | 3500kg                                         |              | 3500kg                                      |              |
| Mass in running order (B)                    | 3005kg Est                                  | 3035kg Est   | 2990kg Est                                     | 3020kg Est   | 3125kg Est                                  | 3155kg Est   |
| Maximum user payload (A-B)                   | 495kg Est                                   | 465kg Est    | 510kg Est                                      | 480kg Est    | 375kg Est                                   | 395kg Est    |
| Thermal insulation grade                     | THREE                                       |              | THREE                                          |              | THREE                                       |              |
| Maximum trailer weight                       | 2000kg                                      |              | 2000kg                                         |              | 2000kg                                      |              |
| Gross train weight                           | 5500kg                                      | 4250kg       | 5500kg                                         | 4250kg       | 5500kg                                      | 4250kg       |
| BED SIZES                                    |                                             |              |                                                |              |                                             |              |
| Front double                                 | 194cm x 165cm / 114cm / 6'4" x 5'10" / 3'9" |              | 194cm x 132cm / 105cm / 6'4" x 4'4" / 3'5" Est |              | 194cm x 165cm / 114cm / 6'4" x 5'10" / 3'9" |              |
| Rear double                                  |                                             |              | 188cm x 129cm / 6'2" x 4'3"                    |              | 202cm x 131cm / 6'8" x 4'4"                 |              |
| Rear nearside single                         |                                             |              |                                                |              |                                             |              |
| Rear offside single                          |                                             |              |                                                |              |                                             |              |
| Drop down bed                                | 189cm x 150cm / 6'2" x 4'11" Est            |              |                                                |              | 189cm x 150cm / 6'2" x 4'11"                |              |

|  | 584                                        |              | 594                                        |              |
|--|--------------------------------------------|--------------|--------------------------------------------|--------------|
|  |                                            |              |                                            |              |
|  |                                            |              |                                            |              |
|  | Standard                                   | Optional     | Standard                                   | Optional     |
|  | 155 bhp                                    | 155 bhp Auto | 155 bhp                                    | 155 bhp Auto |
|  | 2.0ltr                                     |              | 2.0ltr                                     |              |
|  | 155 bhp @ 3500rpm                          |              | 155 bhp @ 3500rpm                          |              |
|  | 390Nm @ 2500rpm                            |              | 390Nm @ 2500rpm                            |              |
|  | 4.52m / 14' 10"                            |              | 4.52m / 14' 10"                            |              |
|  | 4                                          |              | 4                                          |              |
|  | 4                                          |              | 4                                          |              |
|  | 7.85m / 25' 9"                             |              | 7.85m / 25' 9"                             |              |
|  | 2.37m / 7' 9"                              |              | 2.37m / 7' 9"                              |              |
|  | 2.87m / 9' 5"                              |              | 2.87m / 9' 5"                              |              |
|  | 3500kg                                     |              | 3500kg                                     |              |
|  | 3076kg Est                                 | 3106kg Est   | 3095kg Est                                 | 3125kg Est   |
|  | 424kg Est                                  | 394kg Est    | 405kg Est                                  | 375kg Est    |
|  | THREE                                      |              | THREE                                      |              |
|  | 2000kg                                     |              | 2000kg                                     |              |
|  | 5500kg                                     | 4250kg       | 5500kg                                     | 4250kg       |
|  |                                            |              |                                            |              |
|  | 194cm x 132cm / 105cm / 6'4" x 4'4" / 3'5" |              | 194cm x 132cm / 105cm / 6'4" x 4'4" / 3'5" |              |
|  | 206cm x 115cm / 6'9" x 3'9"                |              | 183cm x 143cm / 6'0" x 4'8"                |              |
|  | 195cm x 78cm / 6'5" x 2'7"                 |              |                                            |              |
|  | 195cm x 78cm / 6'5" x 2'7"                 |              |                                            |              |

1. The Maximum User Payload includes:

a. the conventional load (this is the allowance for passengers)

b. essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)

c. optional equipment (items available from the manufacturer over and above the standard specification)

d. personal effects (those items not covered by the above)
2. The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank capacity and 1 x 6kg Calor Lite LPG cylinder.
3. The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank then the payload will reduce accordingly.
4. Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motorhome, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
5. **Warning - under no circumstances should the maximum technical permissible laden mass of the motorhome be exceeded.**
6. **Caution - When fitting a tow bar, it must meet certain minimum requirements as specified by Type Approval Regulations. The bar will have marked on it the approval standard (94/20/EC or 55R ECE) and the maximum download, or nose weight, that it can accept. It must fit the manufacturer's approved mounting points and must not obscure the towing vehicle's number plate.**
7. **Note - the additional weight of the tow bar and trailer nose weight increases the rear axle loading of the motorhome so care should be taken that the rear axle load is not exceeded when towing.**
8. To ensure adequate road holding, the load on the front axle, under all conditions must not be less than 40% or more than 70% of the total weight. Care must be taken when distributing loads. The loadings above are maximum loadings and must not be exceeded under any circumstances.

Est = Estimate

# Introducing Escape

The ever-popular Swift Escape continues to offer a contemporary look and sought-after features. From Aguti travelling seats to streamlined furniture and a boutique-style washroom to exclusive Duvalay mattresses,\* Escape has a premium finish for the discerning motorhome owner.

\*Fixed beds only

## 4 layouts to choose from

-  4 - 6 berths
-  3500kg - 4500kg MTPLM
-  1 model drivable on standard Cat B license





## Escape Highlights

### Fiat cab

Fiat cab with Euro 6D Final 140bhp, 2.2 litre engine with 6-speed manual gearbox.

### Dashboard display

Dashboard including 7" touchscreen HD display, **NEW** leather steering wheel with steering controls, DAB radio with Apple Carplay™ / Android Auto™, USB and Bluetooth, cab air conditioning, cruise control and more.

### Reversing camera

Reversing camera with 7" LCD screen.

### External amenities

**NEW** external cold water shower point and **NEW** external BBQ point. Plus 100W solar panel for off-grid adventures.

### Garage

Rear garage with lighting, heating and sockets, with access doors on both sides.

### Stain resistant furnishings

Calipso soft furnishing scheme featuring stain resistant, easy to clean fabrics with complementary scatter cushions.

### Aguti travelling seats

Fold down Aguti travelling seats that transform into a front parallel lounge. Travelling seats are fitted with ISOfix and **NEW** cup holders.

### Fully equipped kitchen

Fully equipped kitchen with Thetford oven and grill, three-burner gas hob, an electric hotplate, Dometic flatbed microwave and a Dometic (Series 10) 133 litre, dual hinged fridge with freezer compartment. Plus, **NEW** soft close kitchen drawers.



## Escape

### Highlights

#### Spacious washroom

Spacious washroom design including a separate shower cubicle, featuring a **NEW** shower duckboard, an integrated shelf for toiletries and an Ecocamel Jetstorm showerhead for a powerful shower that uses less water.

#### Vanity area

Gloss white vanity bowl with upper and lower storage cupboards, mirror and **NEW** vanity mixer tap.

#### Comfortable sleeping

Exclusive Duvalay Duvalite Alto mattress, which includes a platinum support layer and reflex foam for superior durability, while memory fibre increases airflow for a more comfortable sleep (fixed and drop down beds).

#### Alde heating

**NEW** Alde dual fuel radiator central heating with zonal control for Grade 3 year-round comfort including en-route heating.



#### Find out more

Scan this QR code to see more on Escape.



# Escape

## Full features

### Exterior & Construction

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimensions and safety regulations
- Fiat chassis cab in Iron Grey Metallic, with body coloured bumper and silver grille trim
- AL-KO low line chassis conversion with wide rear track
- EN 1646-1 Grade 3 classification for heating and thermal insulation, for sub-zero ambient temperatures, confirmed by cold chamber testing
- Euro 6D Final 140bhp, 2.2 litre engine with 6-speed manual gearbox and ESC and Eco Pack
  - ESC includes: anti-slip regulation (ASR), roll over mitigation (ROM) and hill holder
  - ECO Pack: stop/start system, smart alternator and more efficient energy saving fuel pump
- 75L fuel tank and AdBlue based after treatment system with 19L tank
- SMART construction with full GRP bodyshell:
  - Strong, moisture proof 'PURE' Polyurethane timberless framed body shell with HD polystyrene insulation core
  - Balanced panel 31mm sandwich side walls with GRP outer and inner skin
  - 44mm 'sandwich' floor construction with GRP outer skin, ply upper and high rigidity Styrofoam core
  - 31mm 'sandwich' construction hail resistant exterior GRP roof, fully bonded for extra strength and flatness, and GRP inner skin
- GRP front low line pod with opening panoramic sunroof
- White extruded skirts link with full height GRP rear panel
- Distinctive streamlined exterior front profile
- Striking exterior graphics scheme coordinated with cab
- Stylish 16" alloy wheels
- Fix & Go puncture repair kit
- Daytime running lights
- Low energy LED lighting
  - Exclusive front marker lights
  - Side marker lights
  - Exclusive rear light clusters
  - High-level brake light
  - Exterior awning light
- 100W solar panel
- **NEW** external cold water shower point
- **NEW** external BBQ point
- Wide habitation door (600mm) with window, flyscreen, bin, umbrella stand and central locking
- Rear garage with lighting, heating, sockets and hanging provision, with access doors on both sides
- Exterior access locker door into bed box (674)
- Provision for 1 x 6kg and 1 x 13kg gas bottles with fitted butane/ propane regulator and propane hose
- Flush fitting, double glazed, tinted acrylic windows with night latch ventilation
- Reversing camera with 7" LCD screen rear view mirror
- Heavy duty chassis extensions ready for optional towbar
- **Bike rack fixing rails fitted to the rear (except 674)**
- MTPLM of 3500kg and can be driven on a normal category B driving license (640 only)
- MTPLM of 3700kg and cannot be driven on a normal category B driving license (684 and 694)

- MTPLM of 4500kg and cannot be driven on a normal category B driving license (674 only)

### Driving

- Exclusive dashboard design including:
  - 7" touchscreen HD colour display
  - **NEW** Leather steering wheel with steering wheel controls
  - 3.5" Instrument cluster and infotainment system
  - Cab light, back lighting & floor lights
  - DAB radio with Apple Carplay™ / Android Auto™, USB and Bluetooth
  - Central area with pocket for smartphone, double USB points and cup holders
  - Door pockets with bottle holder
  - Cruise control
  - Driver and passenger airbags
  - Cab air-conditioning
- ABS brakes
- EBD (electronic brake force distribution)
- Immobiliser with rolling code
- Variable power steering
- Electrically adjusted and heated wing mirrors fitted with direction indicators and DAB radio aerial
- Electrically operated and tinted cab windows
- Adjustable headlamp height
- Adjustable steering wheel position
- Pleated cab blinds (windscreen and side blinds)
- Removable and bleachable cab carpet
- Central dash mounted holder for full width tablet with USB point

- Driver and passenger captain chairs both with:
  - Position, height and rake adjustment
  - Swivel base
  - Two armrests
  - Integrated headrest
  - Fully upholstered covers
  - Seat base surrounds

### Living, Relaxing & Sleeping

- Calipso soft furnishing scheme with complementary scatter cushions
- Decorative Sangallo Elm woodgrain detail with complementary Oxford Tajet, Toro Tela and Grau furniture
- Cream gloss upper locker doors with feature inlays
- Fabric covered wall pads
- Grey French Oak effect, high impact, scratch resistant floor
- Sectioned removable and bleachable carpets for flexibility
- Removable stepwell mat
- Entrance doorway feature panel with illuminated grab handle
- Front parallel lounge with fold-down Aguti travelling seats incorporating ISOfix (2 x Aguti seats on offside on 674)
- **NEW** cup holders accessible when Aguti travelling seats in position
- Lap and diagonal seat belts on all designated passenger seats
- Ergonomically contoured bedding and sumptuous fabrics for increased comfort
- Seat backrest ventilation boards
- Lounge bench seat cushions and bed mattresses supported by beech slats for extra comfort (model specific)

- Exclusive Duvalay Duvalite Alto mattress, which includes a platinum support layer and reflex foam for superior durability, while memory fibre increases airflow for a more comfortable sleep (fixed and drop down beds)
- Positive retention to centre walkthrough door and sliding doors with latches and locks on bedroom door
- Wide, height adjustable electric drop down bed over front lounge (640 & 674)
- Pleated cassette blinds with flyscreens on all windows
- Easy action concertina door flyscreen
- High internal roof height of 2110mm

### Cooking & Eating

- Thetford Triplex combination oven and grill, plus a three-burner gas hob with electric hotplate, all with electronic ignition. Hob features a glass lid with automatic gas shut-off functionality
- Dometic built-in flatbed microwave with digital controls
- Dometic (Series 10) 133 litre, tall slimline, dual hinged, automatic energy selection fridge with 230V, gas and 12V operation incorporating 12 litre removable freezer compartment
- Slate Weft laminate kitchen worktop with textured finish and durable stainless steel sink
- Washing up bowl
- L-shaped sink unit with foldaway kitchen worktop extension and **NEW** soft close drawers for additional storage space
- **NEW** 'swan-neck' kitchen mixer tap
- Illuminated Beige Weft laminate kitchen splashback

- Removable drainer and food grade nylon chopping board nestle together for easy storage
- Mapa electric rise and fall table
- Pull-out occasional table in rear lounge (674 only)
- Kitchen rooflight with flyscreen and blind

### Washing

- Washroom design with vanity unit, sink, toilet and separate shower
- Dedicated shower cubicle with shower mixer tap, riser bar, soap dish and integrated storage shelf for toiletries
- Quadrant shower lighting
- Ecocamel Jetstorm showerhead with on/off button for a powerful shower that uses less water
- **NEW** shower tray duckboard
- Crema Bianca marble effect wallboard and concrete effect sidewall GRP in shower with Tournai Stone floor vinyl on raised floor in vanity area
- Gloss white vanity bowl with upper and lower storage cupboards, mirror and **NEW** vanity mixer tap
- Thetford cassette toilet with electric flush and 18 litre wheeled tank
- Micro-Heki skylight with flyscreen in washroom
- Fold-down shower garment rail
- 32mm thick entrance door with domestic style mortice lock and handle (except 640, which has a tambour door)

### Storage

- Positive locker catches throughout for secure storage on the move with chrome handles
- Spring-assisted lounge seats and bed tops for easy storage access (except travelling seats)
- Pan storage drawers underneath oven and fridge

### Heating & Utilities

- **NEW** control system with 4" LCD colour touchscreen panel featuring:
  - Simple controls for monitoring and managing:
    - Power
    - Battery selection, battery level meter and power usage
    - Selected lighting control with soft-start dimming
    - Water, tank levels and control related features such as pump control
    - Environment monitoring with internal and external temperature and internal humidity levels
- Alde dual fuel radiator central heating and water heating with daily programming
- LCD control panel with 1kW, 2kW or 3kW settings
- Alde circulation pump with 5 speed settings
- Zonal control of Alde heating (except 640)
- Truma 'Crash Sensor Mono' regulator for en-route use of heating and water heating
- Pressurised fresh water system with self-priming pump and accumulator
- 12V exterior power point for pump filling of water tank (pump not supplied)
- 110 litre underfloor mounted fresh water tank with level sensor
- 85 litre underfloor mounted waste water tank with level sensor
- Electronically operated drain valves on fresh and waste water tanks
- Winter Pack with waste water tank heater with en-route heating to keep defrosted, insulated drain valve covers and fridge vent covers
- Fully sealed, long life, 80 Amp-hour (Dir 2006/66/EC) leisure battery below driver's seat
- Mains 230V supply, via easy-access consumer unit, to sockets, fridge, heater, water heater and battery charger/transformer
- 25 metre mains hook-up cable
- 25 Amp/300 Watt charger/ transformer for leisure batteries
- Ultra-low energy LED lighting system:
  - Downlights
  - Over-locker ambient lighting
  - Adjustable cab reading lights
  - Strip lighting in china locker
- A minimum of four 230V chrome sockets
- Dedicated USB points including under-locker USB points
- USB point for rear passenger seats
- Status 570 TV aerial
- TV points with 230V and 12V sockets and aerial socket



### Safety & Security

- VIN CHIP™ identification system concealed within construction to deter theft and aid quick recovery
- Single key for all habitation doors
- Key fob operated remote central locking of cab doors and habitation door
- Smoke alarm
- Carbon monoxide alarm

### Customer Service

- Manufacturer backed 10 year bodysell warranty

### Options

#### Factory fit

- Upgrade to 140bhp, 2.2 litre automatic transmission
- Upgrade to 180bhp, 2.2 litre automatic transmission
- Detachable homologated tow bar and electrics
- Thule roll out awning








#### Dealer fit

- 3700kg MTPLM upgrade (640 only)
- Thule Elite G2 two cycle rack\* (except 674)

\*Dependent on model, visibility through rear camera may be reduced when bicycles are carried on the optional bike carrier

Escape  
Specification



| Escape<br>Specification                                                           | 640                                                                                |                                                                                    |                                                                                     | 674                                                                                 |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |                                                                                    |                                                                                     |  |                                                                                     |                                                                                     |
|                                                                                   |   |  |  |  |  |  |
|                                                                                   | Standard                                                                           | Optional                                                                           | Optional                                                                            | Standard                                                                            | Optional                                                                            | Optional                                                                            |
| Fiat MultiJet diesel engine                                                       | 140 bhp                                                                            | 140 bhp Auto                                                                       | 180 bhp Auto                                                                        | 140 bhp                                                                             | 140 bhp Auto                                                                        | 180 bhp Auto                                                                        |
| Engine capacity                                                                   | 2.2ltr                                                                             |                                                                                    |                                                                                     | 2.2ltr                                                                              |                                                                                     |                                                                                     |
| Engine power                                                                      | 140 bhp @ 3500rpm                                                                  |                                                                                    | 180 bhp @ 3500rpm                                                                   | 140 bhp @ 3500rpm                                                                   |                                                                                     | 180 bhp @ 3500rpm                                                                   |
| Engine torque                                                                     | 350Nm @ 1400rpm                                                                    | 380Nm @ 1400rpm                                                                    | 450 Nm @ 1500rpm                                                                    | 350Nm @ 1400rpm                                                                     | 380Nm @ 1400rpm                                                                     | 450 Nm @ 1500rpm                                                                    |
| Wheel base                                                                        | 4.20m / 13' 9"                                                                     |                                                                                    |                                                                                     | 4.70m / 15'5"                                                                       |                                                                                     |                                                                                     |
| Seat belts (inc. driver)                                                          | 4                                                                                  |                                                                                    |                                                                                     | 5                                                                                   |                                                                                     |                                                                                     |
| Berths (sleeping positions)                                                       | 4                                                                                  |                                                                                    |                                                                                     | 6                                                                                   |                                                                                     |                                                                                     |
| Overall length                                                                    | 6.99m / 22'11"                                                                     |                                                                                    |                                                                                     | 8.22m / 27'0"                                                                       |                                                                                     |                                                                                     |
| Overall body width (mirrors folded)                                               | 2.37m / 7'9"                                                                       |                                                                                    |                                                                                     | 2.37m / 7'9"                                                                        |                                                                                     |                                                                                     |
| Overall height                                                                    | 2.86m / 9'5"                                                                       |                                                                                    |                                                                                     | 2.86m / 9'5" Est                                                                    |                                                                                     |                                                                                     |
| Optional awning                                                                   | Thule T4200 4.0m                                                                   |                                                                                    |                                                                                     | Thule T4200 4.5m                                                                    |                                                                                     |                                                                                     |
| Maximum technical permissible laden mass (A)                                      | 3500kg                                                                             |                                                                                    |                                                                                     | 4500kg                                                                              |                                                                                     |                                                                                     |
| Mass in running order (B)                                                         | 3085kg                                                                             | 3105kg                                                                             | 3100kg                                                                              | 3385kg                                                                              | 3405kg                                                                              | 3400kg                                                                              |
| Maximum user payload (A-B)                                                        | 415kg                                                                              | 395kg                                                                              | 400kg                                                                               | 1115kg                                                                              | 1095kg                                                                              | 1100kg                                                                              |
| Thermal insulation grade                                                          | THREE                                                                              |                                                                                    |                                                                                     | THREE                                                                               |                                                                                     |                                                                                     |
| Maximum trailer weight                                                            | 2000kg#                                                                            |                                                                                    |                                                                                     | 2000kg#                                                                             |                                                                                     |                                                                                     |
| Gross train weight                                                                | 5500kg#                                                                            |                                                                                    |                                                                                     | 6000kg#                                                                             |                                                                                     |                                                                                     |
| BED SIZES                                                                         |                                                                                    |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Front double                                                                      | 194cm x 165cm / 136cm / 6'4" x 5'10" / 4'6"                                        |                                                                                    |                                                                                     | 194cm x 136cm / 6'4" x 4'6"                                                         |                                                                                     |                                                                                     |
| Rear double                                                                       |                                                                                    |                                                                                    |                                                                                     | 202cm x 132cm / 6'8" x 4'4"                                                         |                                                                                     |                                                                                     |
| Rear offside single                                                               |                                                                                    |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Rear nearside single                                                              |                                                                                    |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Drop down bed                                                                     | 189cm x 150cm / 6'2" x 4'11"                                                       |                                                                                    |                                                                                     | 189cm x 150cm / 6'2" x 4'11"                                                        |                                                                                     |                                                                                     |

## Introducing **Kon-Tiki**

The flagship of the Swift motorhome range, Kon-Tik exudes glamour with its sleek lines, impeccable finishes and atmospheric lighting. The tactile Ultra-leather Dusk soft furnishing scheme creates a refined finish while the Aguti travelling seats offer practical yet stylish versatility.

Whether you choose a single or twin axle, Kon-Tiki achieves a spacious interior, with plenty of storage, including an external garage.

### 6 layouts to choose from

-  4 - 6 berths
-  4500kg - 5000kg MTPLM
-  All models require a Cat C driving license





## Kon-Tiki Highlights

### Fiat cab

Fiat cab with a **NEW** heated windscreen, Euro 6D Final 180bhp, 2.2 litre engine with 9-speed automatic gear box (140bhp with 6-speed manual gearbox (774, 784, 794).

### Dashboard display

Dashboard including 10" touchscreen HD display, leather steering wheel with steering controls, DAB radio with Apple Carplay™ / Android Auto™, USB and Bluetooth, cab air conditioning and cruise control. Plus, twin reversing cameras with 7" LCD screen and rear reversing sensors for a smoother parking experience.

### External amenities

Thule roll out awning, an external 230V socket, cold water shower point and BBQ point. Plus, 100W solar panel for off-grid adventures (2 x 100W on 874, 884 and 894).

### Garage

Rear garage with lighting, heating and sockets, with access doors on both sides. Plus, two pull-out pannier lockers for storing utilities.

### Stain resistant furnishings

Ultra-leather® Brisa soft furnishing scheme featuring stain resistant, easy to clean fabrics with complementary scatter cushions.

### Aguti travelling seats

Fold down Aguti travelling seats that transform into a front parallel lounge. Travelling seats are fitted with ISOfix and **NEW** cup holders.

### Fully equipped kitchen

Fully equipped kitchen with Thetford oven and grill, three-burner gas hob, an electric hotplate, Dometic flatbed microwave and a Dometic (Series 10) 177 litre, dual hinged fridge with freezer compartment (133 litre on 774, 784, 794). Plus, a soft close deep pan drawer and omnivent.



## Kon-Tiki

### Highlights

#### Spacious washroom

Spacious washroom design including a separate shower cubicle, featuring a **NEW** shower duckboard, an integrated shelf for toiletries and an Ecocamel Jetstorm showerhead for a powerful shower that uses less water.

#### Vanity area

Gloss white vanity bowl and marble effect worktop with backlit vanity mirror, upper and lower storage cupboards and **NEW** vanity mixer tap, illuminated mirrors and shaver socket.

#### Comfortable sleeping

Exclusive Duvalay Duvalite Alto mattress, which includes a platinum support layer and reflex foam for superior durability, while memory fibre increases airflow for a more comfortable sleep (fixed and drop down beds).

#### Alde heating

Alde dual fuel radiator central heating with zonal control for Grade 3 year-round comfort.

#### Swift Command

Exclusive Swift Command control panel with **NEW** large 7" touchscreen display for controlling and monitoring onboard systems. Plus, updated Swift Command app for managing systems remotely.



#### Find out more

Scan this QR code to see more on Kon-Tiki.



## Kon-Tiki

### Full features

#### Exterior & Construction

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimensions and safety regulations
- Fiat chassis cab in black metallic, with body coloured bumper and black grille trim
- AL-KO low line 4500kg MTPLM chassis conversion with wide rear track (5000kg MTPLM on 874, 884 & 894)
- EN 1646-1 Grade 3 classification for heating and thermal insulation, for sub-zero ambient temperatures, confirmed by cold chamber testing
- Euro 6D Final 140bhp, 2.2 litre engine with 6-speed manual gearbox with ESC pack and Eco pack (774, 784 & 794)
  - ESC Pack: anti-slip regulation (ASR), roll over mitigation (ROM) and hill holder
  - ECO Pack: stop/start system, smart alternator and more efficient energy saving fuel pump
- Euro 6D Final 180bhp, 2.2 litre engine with 9-speed automatic gearbox with ESC pack and Eco pack (874, 884 & 894)
  - ESC Pack: anti-slip regulation (ASR), roll over mitigation (ROM) and hill holder
  - ECO Pack: stop/start system, smart alternator and more efficient energy saving fuel pump
- 90L fuel tank and Ad-Blue based after treatment system with 19L tank
- SMART construction with full GRP bodyshell:
  - Strong, moisture proof ‘PURE’ Polyurethane timberless framed body shell with HD polystyrene insulation core
  - Balanced panel 31mm sandwich side walls with GRP outer and inner skin
  - 44mm sandwich floor construction, with GRP outer skin, ply upper and high rigidity Styrofoam core
  - 31mm sandwich construction hail resistant exterior GRP roof, fully bonded for extra strength and flatness, and GRP inner skin
- GRP front low line pod with electric opening Skyview panoramic sunroof
- White extruded skirts link with full height GRP rear panel
- Distinctive streamlined exterior front profile
- Enhanced exterior graphics scheme coordinated with cab
- Daytime running lights
- Stylish 16” alloy wheels
- Spare wheel on under slung carrier
- Low energy LED lighting
  - Exclusive front marker lights
  - Side marker lights
  - Exclusive rear light clusters
  - High-level brake light
  - Exterior awning light (two on 874, 884 & 894)
  - Additional offside exterior light
- 100W solar panel (two on 874, 884 & 894)
- External 230V socket
- External BBQ point
- External cold water shower point
- Wide habitation door (600mm) with window, flyscreen, bin, umbrella stand and central locking
- Rear garage with Metallic Grey Chequer lino, lighting, heating, sockets and hanging provision, with access doors on both sides
- Exterior access locker door in to bed box (774 & 874)
- Two pull-out underfloor pannier lockers
- Provision for 1 x 6kg and 1 x 13kg gas bottles with fitted butane / propane regulator and propane hose

- Flush fitting, double glazed, tinted acrylic windows with night latch ventilation
- Thule T4200 series roll out awning
- Twin reversing cameras with 7” LCD screen rear view mirror and rear reversing sensors
- Heavy duty rear chassis members ready for optional towbar
- Bike rack fixing rails fitted to the rear (except 774 & 874)
- Driving
  - Dashboard design with silver trim including: 10” touchscreen HD colour display
    - Leather steering wheel with steering wheel controls including volume control and phone compatibility
    - Gear lever with leather gaiter
    - Full digital cluster with 7” information display or for navigation maps
    - Cab light & back lighting
    - Fiat Sat Nav with 3D map visualisation and selectable vehicle dimensions
    - DAB radio with Apple CarplayTM / Android AutoTM, USB and Bluetooth
  - Central area with pocket for smartphone, double USB socket and cup holders
  - Door pockets with bottle holder
  - Cruise control
  - Driver and passenger airbags
  - Automatic cab air-conditioning
- ABS brakes
- EBD (electronic brake force distribution)
- Immobiliser with rolling code
- Variable power steering
- Electrically adjusted and heated wing mirrors fitted with direction indicators and DAB radio aerial
- **NEW** heated windscreen
- Electrically operated and tinted cab windows
- Adjustable headlamp height
- Adjustable steering wheel position
- Concertina cab blinds (windscreen and side blinds)
- Removable and bleachable cab carpet
- Driver and passenger captain chairs both with:
  - Position, height and rake adjustment
  - Swivel base
  - Two armrests
  - Integrated headrest
  - Fully upholstered covers
  - Seat base surrounds
- Central dash mounted holder for full width tablet

#### Living, Relaxing & Sleeping

- Ultra-leather® Brisa soft furnishing scheme with complementary scatter cushions
- Decorative Sangallo Elm woodgrain with complementary Oxford Tajet, Toro Tela and Grau furniture
- Cream/Pearl gloss, soft-close upper locker doors with dual chrome inlays
- Grey French Oak effect, high impact, scratch resistant floor
- Sectioned removable and bleachable carpets
- Removable stepwell mat
- Entrance doorway feature panel with illuminated grab handle
- Front parallel lounge with fold-down Aguti travelling seats incorporating ISOfix (2 x Aguti seats on offside on 774 & 874)
- **NEW** travel seat cup holders, accessible when Aguti travelling seats in position
- Lap and diagonal seat belts on all designated passenger seat
- Ergonomically contoured bedding for increased comfort, wrapped in Ultra-leather Brisa, a high performance fabric meticulously designed with ultimate softness and durability, and finished with quilted stitch detailing
- Seat backrest ventilation boards
- Lounge bench seat cushions and bed mattresses supported by beech slats for extra comfort (model specific)
- Exclusive Duvalay Duvalite Alto mattress, which includes a platinum support layer and reflex foam for superior durability, while memory fibre increases airflow for a more comfortable sleep (fixed and drop down beds)
- **NEW** magnetic retention to centre walkthrough door
- Sliding doors with latches and locks on bedroom door
- Rise and fall rear island bed to provide greater storage when travelling (794 & 894)
- Height - adjustable electric drop-down bed over front lounge (774 & 874)
- Pleated cassette blinds with flyscreens on all windows
- Easy action concertina door flyscreen
- Decorative blind and flyscreen surrounds
- Midi-Heki rooflight with flynet and adjustable blinds in bedrooms
- Built in Wi-Fi via boosted 5G/4G/3G signal, includes ‘Smarty’ SIM
- Improved black branded speakers (model specific)
- Increased head height (2110mm)

#### Eating

- Thetford thermostatic oven and separate grill, plus a dual fuel three-burner hob with 1x 800W electric hotplate, all with electric ignition. Hob features a glass lid with automatic gas shut-off functionality

- Dometic built-in flatbed microwave with digital controls
- Dometic (Series 10) 133 litre, tall slimline, dual hinged, automatic energy selection fridge with 230V, gas and 12V operation incorporating 12 litre removable freezer compartment (774, 784 & 794)
- Dometic (Series 10) 177 litre, dual hinged automatic energy selection fridge/freezer with 230V, gas and 12V operation incorporating 35 litre freezer compartment (874, 884 & 894)
- Washing-up bowl
- Kitchen unit featuring a bank of drawers, including a large cutlery drawer and deep pan drawer with soft-close runners
- Thule omnivent in kitchen/washroom area
- Cream high gloss kitchen cabinets with removable shelves
- Beige Weft laminate kitchen worktop with textured finish and black edging with durable underslung stainless steel sink
- L-shaped sink unit with foldaway kitchen worktop extension
- Chrome effect Karina kitchen mixer tap
- Illuminated printed acrylic splashback
- Removable drainer and food grade nylon chopping board nestle together for easy storage
- Mapa electric rise and fall table
- Pull-out occasional table in rear lounge (774 & 874)

#### Washing

- Washroom design with vanity unit, sink, toilet and separate shower
- Dedicated shower cubicle with shower mixer tap, riser bar, soap dish and integrated storage shelf for toiletries
- Quadrant shower lighting
- Ecocamel Jetstorm showerhead with on/off button for a powerful shower that uses less water

- **NEW** shower tray duckboard
- Crema Bianca marble effect wallboard and concrete effect sidewall GRP in shower with Tournai Stone floor vinyl on raised floor in vanity area
- Gloss white vanity bowl and marble effect worktop with back-lit vanity mirror and **NEW** improved chrome effect mixer tap
- Thetford C260 swivel cassette toilet with electric flush and 18 litre wheeled tank
- Fold-down shower garment rail
- Micro-Heki skylight with flyscreen and blind in washroom
- 32mm thick entrance door with decorative inlay, domestic style mortice lock and handle
- **NEW** shaver socket
- **NEW** illuminated mirror

#### Storage

- Positive overhead locker catches for secure storage on the move with chrome handles
- Spring-assisted lounge seats and bed tops for easy storage access (except travelling seats)
- Moulded over-cab storage compartments with Skyview opening sunroof
- Pull-out kitchen storage baskets (874, 884 & 894)
- Upper and lower cupboard storage in washroom area
- meter and power usage
  - 230V AC load limiter (settable between 5 amps & 16 amps)
  - Solar panel charging levels (where fitted)
- Heating control of Alde system
- Environment monitoring with internal and external temperature and internal humidity levels
- Lighting control
- Water system controls, tank levels and control of tank drain valves
- Air-conditioning compatible with Dometic and Truma (dealer fit option, model specific)
- Fridge control via CI-BUS connection
  - Pre-installed Swift Command Tracker, a Thatcham Category S7 approved proactive tracker (subject to annual subscription)
  - Updated Swift Command app enabling you to manage and monitor key vehicle functions from your mobile device including power, heating and selected lighting:
    - Incorporates a simpler connectivity selection:- Bluetooth connectivity when with the vehicle- Wi-Fi / GSM connectivity when away from the vehicle (subject to network coverage)
    - Includes the useful ‘Places of Interest’ feature including ‘Campsites’ from the Camping & Caravanning Club and Swift dealership locations
- Alde dual fuel radiator central heating and water heating with daily programming
- LCD control panel with 1kW, 2kW or 3kW settings
- Alde circulation pump with 5 speed settings
- Zonal control of Alde heating
- Truma ‘Crash Sensor Duo’ regulator for en-route use of heating and water heating

#### Heating & Utilities

- Exclusive Swift Command control system with **NEW** large 7” LCD colour touchscreen panel with improved user interface and functionality featuring;
  - Simple controls for monitoring and managing:
    - Power
    - Battery selection, battery level

- Pressurised fresh water system with self-priming pump and accumulator
- 12V exterior power point for pump filling of water tank (pump not supplied)
- **NEW** 110 litre underfloor mounted fresh water tank with level sensor
- 85 litre underfloor mounted waste water tank with level sensor
- Electronically operated drain valves on fresh and waste water tanks
- Winter Pack with waste water tank heater with en-route heating to keep defrosted, insulated drain valve covers and fridge vent covers
- Fully sealed, long life, 100 Amp-hour (Dir 2006/66/EC) leisure battery (two on 874, 884 & 894)
- Mains 230V supply via easy-access consumer unit to sockets, fridge, microwave oven, boiler and battery charger/transformer
- 25 metre mains hook-up cable
- 25 Amp/300W charger/transformer for leisure batteries
- Ultra-low energy LED lighting system:
  - Spotlights with USB sockets
  - Over-locker ambient lighting
  - Illuminated lower locker profile
  - Adjustable cab reading lights
  - Wardrobe light
  - Low-level night lights
  - Dimmable interior light
- Minimum of eight 230V chrome sockets (including two in cab area and one in the garage)
- Wireless phone charger pad on doorway feature panel
- Dedicated USB points
- USB socket for rear passenger seats
- Status 570 TV aerial
- TV points with 230V and 12V sockets and aerial socket

#### Safety & Security

- VIN CHIP™ identification system concealed within construction to deter theft and aid quick recovery
- Single key for all habitation doors
- Key fob operated remote central locking of cab doors and entrance door
- Smoke alarm
- Carbon monoxide alarm

#### Customer Service

- Manufacturer backed 10 year bodyshell warranty

#### Options

##### Factory fit

- Upgrade to 140bhp, 2.2 litre automatic transmission (774, 784 & 794 only)
- Upgrade to 180bhp, 2.2 litre automatic transmission (774, 784 & 794 only)
- Detachable homologated tow bar and electrics
- Hydraulic automatic self-levelling system
- Air suspension
- Hydraulic automatic self-levelling system & air suspension
- Drop bed option in place of lockers over front lounge (884 & 894)

##### Dealer fit

- Thule Elite G2 two cycle rack\* (except 774/874)
- Swift Command Tracker by Sargent annual subscription

\*Dependent on model, visibility through rear camera may be reduced when bicycles are carried on the optional bike carrier

Kon-Tiki 7 Series  
Specification



|                                              | 774                          |                 |                   | 784                                        |                 |                   |
|----------------------------------------------|------------------------------|-----------------|-------------------|--------------------------------------------|-----------------|-------------------|
|                                              |                              |                 |                   |                                            |                 |                   |
|                                              |                              |                 |                   |                                            |                 |                   |
|                                              | Standard                     | Optional        | Optional          | Standard                                   | Optional        | Optional          |
| Fiat MultiJet diesel engine                  | 140 bhp                      | 140 bhp Auto    | 180 bhp Auto      | 140 bhp                                    | 140 bhp Auto    | 180 bhp Auto      |
| Engine capacity                              | 2.2ltr                       |                 |                   | 2.2ltr                                     |                 |                   |
| Engine power                                 | 140 bhp @3500rpm             |                 | 180 bhp @ 3500rpm | 140 bhp @3500rpm                           |                 | 180 bhp @ 3500rpm |
| Engine torque                                | 350Nm @ 1400rpm              | 380Nm @ 1400rpm | 450 Nm @ 1500rpm  | 350Nm @ 1400rpm                            | 380Nm @ 1400rpm | 450 Nm @ 1500rpm  |
| Wheel base                                   | 4.70m / 15'5"                |                 |                   | 4.70m / 15'5"                              |                 |                   |
| Seat belts (inc. driver)                     | 5                            |                 |                   | 4                                          |                 |                   |
| Berths (sleeping positions)                  | 6                            |                 |                   | 4                                          |                 |                   |
| Overall length                               | 8.22m / 27' 0"               |                 |                   | 7.84m / 25'9"                              |                 |                   |
| Overall body width (mirrors folded)          | 2.38m / 7'10"                |                 |                   | 2.38m / 7'10"                              |                 |                   |
| Overall height                               | 2.87m / 9' 5"                |                 |                   | 2.89m / 9'6"                               |                 |                   |
| Awning                                       | Thule T4200 4.5m             |                 |                   | Thule T4200 4.5m                           |                 |                   |
| Maximum technical permissible laden mass (A) | 4500kg                       |                 |                   | 4500kg                                     |                 |                   |
| Mass in running order (B)                    | 3617kg                       | 3635kg          | 3635kg            | 3440kg                                     | 3458kg          | 3458kg            |
| Maximum user payload (A-B)                   | 883kg                        | 865kg           | 865kg             | 1060kg                                     | 1042kg          | 1042kg            |
| Thermal insulation grade                     | THREE                        |                 |                   | THREE                                      |                 |                   |
| Maximum trailer weight                       | 2000kg#                      |                 |                   | 2000kg#                                    |                 |                   |
| Gross train weight                           | 6000kg#                      |                 |                   | 6000kg#                                    |                 |                   |
| BED SIZES                                    |                              |                 |                   |                                            |                 |                   |
| Front double                                 | 194cm x 136cm / 6'4" x 4'6"  |                 |                   | 194cm x 133cm / 106cm / 6'4" x 4'4" / 3'6" |                 |                   |
| Rear double                                  | 203cm x 132cm / 6'8" x 4'4"  |                 |                   | 206cm x 115cm / 6'9" x 3'9"                |                 |                   |
| Rear nearside single                         |                              |                 |                   | 195cm x 78cm / 6'5" x 2'7"                 |                 |                   |
| Rear offside single                          |                              |                 |                   | 195cm x 78cm / 6'5" x 2'7"                 |                 |                   |
| Drop down bed                                | 189cm x 150cm / 6'2" x 4'11" |                 |                   |                                            |                 |                   |

|  | 794                                        |                 |                   |  |
|--|--------------------------------------------|-----------------|-------------------|--|
|  |                                            |                 |                   |  |
|  | Standard                                   | Optional        | Optional          |  |
|  | 140 bhp                                    | 140 bhp Auto    | 180 bhp Auto      |  |
|  | 2.2ltr                                     |                 |                   |  |
|  | 140 bhp @3500rpm                           |                 | 180 bhp @ 3500rpm |  |
|  | 350Nm @ 1400rpm                            | 380Nm @ 1400rpm | 450 Nm @ 1500rpm  |  |
|  | 4.70m / 15'5"                              |                 |                   |  |
|  | 4                                          |                 |                   |  |
|  | 4                                          |                 |                   |  |
|  | 8.22m / 27'0"                              |                 |                   |  |
|  | 2.38m / 7'10"                              |                 |                   |  |
|  | 2.89m / 9'6"                               |                 |                   |  |
|  | Thule T4200 4.5m                           |                 |                   |  |
|  | 4500kg                                     |                 |                   |  |
|  | 3565kg                                     | 3583kg          | 3583kg            |  |
|  | 935kg                                      | 917kg           | 917kg             |  |
|  | THREE                                      |                 |                   |  |
|  | 2000kg#                                    |                 |                   |  |
|  | 6000kg#                                    |                 |                   |  |
|  |                                            |                 |                   |  |
|  | 194cm x 133cm / 106cm / 6'4" x 4'4" / 3'6" |                 |                   |  |
|  | 180cm x 143cm / 5'11" x 4'8"               |                 |                   |  |
|  |                                            |                 |                   |  |
|  |                                            |                 |                   |  |
|  |                                            |                 |                   |  |

1. The Maximum User Payload includes:

a. the conventional load (this is the allowance for passengers)

b. essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)

c. optional equipment (items available from the manufacturer over and above the standard specification)

d. personal effects (those items not covered by the above)
2. The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank capacity and 1 x 6kg Calor Lite LPG cylinder.
3. The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank then the payload will reduce accordingly.
4. Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motorhome, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
5. **Warning - under no circumstances should the maximum technical permissible laden mass of the motorhome be exceeded.**
6. **Caution - When fitting a tow bar, it must meet certain minimum requirements as specified by Type Approval Regulations. The bar will have marked on it the approval standard (94/20/EC or 55R ECE) and the maximum download, or nose weight, that it can accept. It must fit the manufacturer's approved mounting points and must not obscure the towing vehicle's number plate.**
7. **Note - the additional weight of the tow bar and trailer nose weight increases the rear axle loading of the motorhome so care should be taken that the rear axle load is not exceeded when towing.**

# The maximum trailer weight is limited by the gross train weight which must not be exceeded. For example if the vehicle is at the maximum MTPLM of 4500kg, then the maximum trailer weight possible is 1500kg. Reducing the weight of the vehicle by removing payload, will allow you to increase the trailer weight up to a maximum of 2000kg.

Est = Estimate

Kon-Tiki 8 Series  
Specification



|                                              | 874                                         |  |  | 884                                         |  |  |
|----------------------------------------------|---------------------------------------------|--|--|---------------------------------------------|--|--|
|                                              |                                             |  |  |                                             |  |  |
|                                              | Standard                                    |  |  | Standard                                    |  |  |
| Fiat MultiJet diesel engine                  | 180 MJT Auto                                |  |  | 180 MJT Auto                                |  |  |
| Engine capacity                              | 2.2ltr                                      |  |  | 2.2ltr                                      |  |  |
| Engine power                                 | 180 bhp @ 3500rpm                           |  |  | 180 bhp @ 3500rpm                           |  |  |
| Engine torque                                | 450 Nm @ 1500rpm                            |  |  | 450 Nm @ 1500rpm                            |  |  |
| Wheel base                                   | 4.70m / 0.80m / 15'5" / 2'7"                |  |  | 4.70m / 0.80m / 15'5" / 2'7"                |  |  |
| Seat belts (inc. driver)                     | 5                                           |  |  | 4                                           |  |  |
| Berths (sleeping positions)                  | 6                                           |  |  | 4                                           |  |  |
| Overall length                               | 8.96m / 29'5"                               |  |  | 8.96m / 29'5"                               |  |  |
| Overall body width (mirrors folded)          | 2.38m / 7'10"                               |  |  | 2.38m / 7'10"                               |  |  |
| Overall height                               | 2.87m / 9'5"                                |  |  | 2.89m / 7'10"                               |  |  |
| Awning                                       | Thule T4200 4.5m                            |  |  | Thule T4200 4.5m                            |  |  |
| Maximum technical permissible laden mass (A) | 5000kg                                      |  |  | 5000kg                                      |  |  |
| Mass in running order (B)                    | 4005kg                                      |  |  | 3903kg                                      |  |  |
| Maximum user payload (A-B)                   | 995kg                                       |  |  | 1097kg                                      |  |  |
| Thermal insulation grade                     | THREE                                       |  |  | THREE                                       |  |  |
| Maximum trailer weight                       | 2000kg#                                     |  |  | 2000kg#                                     |  |  |
| Gross train weight                           | 6000kg#                                     |  |  | 6000kg#                                     |  |  |
| BED SIZES                                    |                                             |  |  |                                             |  |  |
| Front double                                 | 194cm x 150cm / 136cm / 6'4" x 4'11" / 4'6" |  |  | 194cm x 186cm / 150cm / 6'4" x 6'1" / 4'11" |  |  |
| Rear double                                  | 203cm x 183cm / 6'8" x 6'0"                 |  |  | 206cm x 115cm / 6'9" x 3'9"                 |  |  |
| Rear nearside single                         |                                             |  |  | 195cm x 78cm / 6'5" x 2'7"                  |  |  |
| Rear offside single                          |                                             |  |  | 195cm x 78cm / 6'5" x 2'7"                  |  |  |
| Drop down bed                                | 189cm x 150cm / 6'2" x 4'11"                |  |  |                                             |  |  |

|  | 894                                         |  |  |
|--|---------------------------------------------|--|--|
|  |                                             |  |  |
|  | Standard                                    |  |  |
|  | 180 MJT Auto                                |  |  |
|  | 2.2ltr                                      |  |  |
|  | 180 bhp @ 3500rpm                           |  |  |
|  | 450 Nm @ 1500rpm                            |  |  |
|  | 4.70m / 0.80m / 15'5" / 2'7"                |  |  |
|  | 4                                           |  |  |
|  | 4                                           |  |  |
|  | 8.96m / 29'5"                               |  |  |
|  | 2.38m / 7'10"                               |  |  |
|  | 2.89m / 9'6"                                |  |  |
|  | Thule T4200 4.5m                            |  |  |
|  | 5000kg                                      |  |  |
|  | 3913kg                                      |  |  |
|  | 1087kg                                      |  |  |
|  | THREE                                       |  |  |
|  | 2000kg#                                     |  |  |
|  | 6000kg#                                     |  |  |
|  |                                             |  |  |
|  | 194cm x 186cm / 150cm / 6'4" x 6'1" / 4'11" |  |  |
|  | 195cm x 143cm / 6'5" x 4'8"                 |  |  |
|  |                                             |  |  |
|  |                                             |  |  |
|  |                                             |  |  |

1. The Maximum User Payload includes:

a. the conventional load (this is the allowance for passengers)

b. essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)

c. optional equipment (items available from the manufacturer over and above the standard specification)

d. personal effects (those items not covered by the above)
2. The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank capacity and 1 x 6kg Calor Lite LPG cylinder.
3. The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank then the payload will reduce accordingly.
4. Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motorhome, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
5. **Warning - under no circumstances should the maximum technical permissible laden mass of the motorhome be exceeded.**
6. **Caution - When fitting a tow bar, it must meet certain minimum requirements as specified by Type Approval Regulations. The bar will have marked on it the approval standard (94/20/EC or 55R ECE) and the maximum download, or nose weight, that it can accept. It must fit the manufacturer's approved mounting points and must not obscure the towing vehicle's number plate.**
7. **Note - the additional weight of the tow bar and trailer nose weight increases the rear axle loading of the motorhome so care should be taken that the rear axle load is not exceeded when towing.**

# The maximum trailer weight is limited by the gross train weight which must not be exceeded. For example if the vehicle is at the maximum MTPLM of 4500kg, then the maximum trailer weight possible is 1500kg. Reducing the weight of the vehicle by removing payload, will allow you to increase the trailer weight up to a maximum of 2000kg.

Est = Estimate

# Range at a glance

|          | Cab        | Berths | Travelling seats | Axles | Length | Standard MTPLM | License required | Awning | SMART Construction | 10 Year BodysHELL Warranty | Heating |
|----------|------------|--------|------------------|-------|--------|----------------|------------------|--------|--------------------|----------------------------|---------|
| Carrera  |            |        |                  |       |        |                |                  |        |                    |                            |         |
| 122      | Fiat Panel | 2      | 2                | 1     | 6.00m  | 3500kg         | Cat B            | ✓      |                    |                            | Whale   |
| 132      | Fiat Panel | 2      | 2                | 1     | 6.36m  | 3500kg         | Cat B            | ✓      |                    |                            | Whale   |
| 144      | Fiat Panel | 3      | 4                | 1     | 6.00m  | 3500kg         | Cat B            | ✓      |                    |                            | Whale   |
| 184      | Fiat Panel | 4      | 4                | 1     | 6.36m  | 3500kg         | Cat B            | ✓      |                    |                            | Whale   |
| 194      | Fiat Panel | 3      | 4                | 1     | 6.36m  | 3500kg         | Cat B            | ✓      |                    |                            | Whale   |
| Ascari   |            |        |                  |       |        |                |                  |        |                    |                            |         |
| 344      | Fiat       | 4      | 4                | 1     | 5.99m  | 3500kg         | Cat B            | Option | ✓                  | ✓                          | Truma   |
| 372      | Fiat       | 2      | 4                | 1     | 6.65m  | 3500kg         | Cat B            | Option | ✓                  | ✓                          | Truma   |
| 384      | Fiat       | 3      | 4                | 1     | 6.99m  | 3500kg         | Cat B            | Option | ✓                  | ✓                          | Truma   |
| Voyager  |            |        |                  |       |        |                |                  |        |                    |                            |         |
| 475      | Ford       | 5      | 5                | 1     | 7.54m  | 3500kg         | Cat B            |        | ✓                  | ✓                          | Truma   |
| 485      | Ford       | 5      | 5                | 1     | 7.54m  | 3500kg         | Cat B            |        | ✓                  | ✓                          | Truma   |
| 494      | Ford       | 4      | 4                | 1     | 7.54m  | 3500kg         | Cat B            |        | ✓                  | ✓                          | Truma   |
| 540      | Ford       | 4      | 4                | 1     | 7.01m  | 3500kg         | Cat B            |        | ✓                  | ✓                          | Truma   |
| 564      | Ford       | 4      | 4                | 1     | 7.22m  | 3500kg         | Cat B            |        | ✓                  | ✓                          | Truma   |
| 574      | Ford       | 6      | 4                | 1     | 7.73m  | 3500kg         | Cat B            |        | ✓                  | ✓                          | Truma   |
| 584      | Ford       | 4      | 4                | 1     | 7.85m  | 3500kg         | Cat B            |        | ✓                  | ✓                          | Truma   |
| 594      | Ford       | 4      | 4                | 1     | 7.85m  | 3500kg         | Cat B            |        | ✓                  | ✓                          | Truma   |
| Escape   |            |        |                  |       |        |                |                  |        |                    |                            |         |
| 640      | Fiat       | 4      | 4                | 1     | 6.99m  | 3500kg         | Cat B            | Option | ✓                  | ✓                          | Alde    |
| 674      | Fiat       | 6      | 5                | 1     | 8.22m  | 4500kg         | Cat C            | Option | ✓                  | ✓                          | Alde    |
| 684      | Fiat       | 4      | 4                | 1     | 7.84m  | 3700kg         | Cat C            | Option | ✓                  | ✓                          | Alde    |
| 694      | Fiat       | 4      | 4                | 1     | 7.84m  | 3700kg         | Cat C            | Option | ✓                  | ✓                          | Alde    |
| Kon-Tiki |            |        |                  |       |        |                |                  |        |                    |                            |         |
| 774      | Fiat       | 6      | 5                | 1     | 8.22m  | 4500kg         | Cat C            | ✓      | ✓                  | ✓                          | Alde    |
| 784      | Fiat       | 4      | 4                | 1     | 7.84m  | 4500kg         | Cat C            | ✓      | ✓                  | ✓                          | Alde    |
| 794      | Fiat       | 4      | 4                | 1     | 8.22m  | 4500kg         | Cat C            | ✓      | ✓                  | ✓                          | Alde    |
| 874      | Fiat       | 6      | 5                | 2     | 8.96m  | 5000kg         | Cat C            | ✓      | ✓                  | ✓                          | Alde    |
| 884      | Fiat       | 4      | 4                | 2     | 8.96m  | 5000kg         | Cat C            | ✓      | ✓                  | ✓                          | Alde    |
| 894      | Fiat       | 4      | 4                | 2     | 8.96m  | 5000kg         | Cat C            | ✓      | ✓                  | ✓                          | Alde    |

|          | Fixed single beds | Fixed double bed | Drop down bed | Apple Car Play / Android Auto | Cab touchscreen display | Wireless phone charging | External electric socket | Gas BBQ point | External cold water shower point | Swift Command | Swift Command Tracker |
|----------|-------------------|------------------|---------------|-------------------------------|-------------------------|-------------------------|--------------------------|---------------|----------------------------------|---------------|-----------------------|
| Carrera  |                   |                  |               |                               |                         |                         |                          |               |                                  |               |                       |
| 122      |                   |                  |               | ✓                             | 7"                      |                         |                          |               |                                  |               |                       |
| 132      |                   |                  |               | ✓                             | 7"                      |                         |                          |               |                                  |               |                       |
| 144      |                   |                  |               | ✓                             | 7"                      |                         |                          |               |                                  |               |                       |
| 184      |                   |                  |               | ✓                             | 7"                      |                         |                          |               |                                  |               |                       |
| 194      |                   |                  |               | ✓                             | 7"                      |                         |                          |               |                                  |               |                       |
| Ascari   |                   |                  |               |                               |                         |                         |                          |               |                                  |               |                       |
| 344      |                   |                  | ✓             | ✓                             | 7"                      |                         | ✓                        | ✓             | ✓                                |               |                       |
| 372      |                   |                  |               | ✓                             | 7"                      |                         | ✓                        | ✓             | ✓                                |               |                       |
| 384      | ✓                 |                  |               | ✓                             | 7"                      |                         | ✓                        | ✓             | ✓                                |               |                       |
| Voyager  |                   |                  |               |                               |                         |                         |                          |               |                                  |               |                       |
| 475      |                   |                  | Luton         | ✓                             | 9"                      |                         |                          | ✓             | ✓                                |               |                       |
| 485      | ✓                 |                  | Luton         | ✓                             | 9"                      |                         |                          | ✓             | ✓                                |               |                       |
| 494      |                   | ✓                | Luton         | ✓                             | 9"                      |                         |                          | ✓             | ✓                                |               |                       |
| 540      |                   |                  | ✓             | ✓                             | 9"                      |                         |                          | ✓             | ✓                                |               |                       |
| 564      |                   | ✓                |               | ✓                             | 9"                      |                         |                          | ✓             | ✓                                |               |                       |
| 574      |                   |                  | ✓             | ✓                             | 9"                      |                         |                          | ✓             | ✓                                |               |                       |
| 584      | ✓                 |                  |               | ✓                             | 9"                      |                         |                          | ✓             | ✓                                |               |                       |
| 594      |                   | ✓                |               | ✓                             | 9"                      |                         |                          | ✓             | ✓                                |               |                       |
| Escape   |                   |                  |               |                               |                         |                         |                          |               |                                  |               |                       |
| 640      |                   |                  | ✓             | ✓                             | 7"                      |                         |                          | ✓             | ✓                                |               |                       |
| 674      |                   |                  | ✓             | ✓                             | 7"                      |                         |                          | ✓             | ✓                                |               |                       |
| 684      | ✓                 |                  |               | ✓                             | 7"                      |                         |                          | ✓             | ✓                                |               |                       |
| 694      |                   | ✓                |               | ✓                             | 7"                      |                         |                          | ✓             | ✓                                |               |                       |
| Kon-Tiki |                   |                  |               |                               |                         |                         |                          |               |                                  |               |                       |
| 774      |                   |                  | ✓             | ✓                             | 10"                     | ✓                       | ✓                        | ✓             | ✓                                | ✓             | Option                |
| 784      | ✓                 |                  |               | ✓                             | 10"                     | ✓                       | ✓                        | ✓             | ✓                                | ✓             | Option                |
| 794      |                   | ✓                |               | ✓                             | 10"                     | ✓                       | ✓                        | ✓             | ✓                                | ✓             | Option                |
| 874      |                   |                  | ✓             | ✓                             | 10"                     | ✓                       | ✓                        | ✓             | ✓                                | ✓             | Option                |
| 884      | ✓                 |                  | Option        | ✓                             | 10"                     | ✓                       | ✓                        | ✓             | ✓                                | ✓             | Option                |
| 894      |                   | ✓                | Option        | ✓                             | 10"                     | ✓                       | ✓                        | ✓             | ✓                                | ✓             | Option                |

# Range at a glance

## Fabrics

**Ascari**

The Ascari range is fitted with the contemporary River fabric scheme, which has cool grey tones for a calming interior.

Please ask your dealer for full details.

| Seating              | Seating |
|----------------------|---------|
|                      |         |
| Curtains & Wallboard |         |
|                      |         |

**Escape**

The Escape range is fitted with the stain resistant, easy to clean Calipso soft furnishing scheme. Its light stone colour evokes a natural ambience.

Please ask your dealer for full details.

| Seating | Cushion   |
|---------|-----------|
|         |           |
| Cushion | Wallboard |
|         |           |

**Carrera**

The Carrera range is fitted with the stain resistant, easy to clean, Montage soft furnishing scheme. It features cool grey tones for a relaxing atmosphere.

Please ask your dealer for full details.

| Seating | Seating |
|---------|---------|
|         |         |

**Voyager**

The Voyager 4 series range is fitted with the Lucio soft furnishing scheme.

The Voyager 5 series range is fitted with the Sousel soft furnishing scheme.

Both schemes have stain resistant properties and are easy to clean. Please ask your dealer for full details.

| Seating (4 series) | Cushion (4 series) | Curtains (4 series) | Headboard (4 series) |
|--------------------|--------------------|---------------------|----------------------|
|                    |                    |                     |                      |
| Seating (5 series) | Cushion (5 series) | Curtains (5 series) | Headboard (5 series) |
|                    |                    |                     |                      |

**Kon-Tiki**

The Kon-Tiki range is fitted with the Ultra-leather® Dusk soft furnishing scheme. This cream vegan leather is easy to clean and stain resistant, combining style and practicality.

Please ask your dealer for full details.

| Seating              | Cushion   |
|----------------------|-----------|
|                      |           |
| Curtains & Wallboard | Headboard |
|                      |           |

# Proud to work with our

## Value added partners



Constantly innovating for the best nights' sleep possible, Duvalay's bespoke mattresses and bedding are trusted by our customers. We fit Duvalay's Duvalite™ mattress as standard on all fixed beds across our motorhomes.



Swift partners with Diamondbrite Leisure - leaders in paint and upholstery protection - to help maintain your caravan or motorhome. Professionally applied at your dealership with a lifetime guarantee, it includes an exterior nano-ceramic high-gloss coating for easier cleaning and an upholstery elixir which resists staining.



Proudly made in Sweden since 1949, Alde delivers the quietest, most comfortable heating systems for the world's explorers. We have worked with Alde since 1994 to help make our leisure vehicles feel more like home, testing our caravans down to minus 15°C to ensure you stay cosy no matter where the road takes you.



One of the industry's leading heating systems, Truma's combi heaters are perfect for caravans with their lightweight, compact structure and quiet operation, as well as efficient boost function. We fit Truma products so our customers can enjoy cold chamber-tested, Grade 3 standard heating and insulation.



The world's leading battery manufacturer, Yuasa is a long-time supplier of leisure vehicle batteries to Swift thanks to its products' high quality, long life and superior performance, powering the demands of modern lifestyles.



AL-KO is a global company with a rich history in manufacturing leisure products since 1931. AL-KO partners with Swift by offering a wide range of products, including caravan chassis and premium caravan accessories. Their partnership with Swift ensures you enjoy holidays with the best components and accessories.



Thetford, the world's leading supplier of mobile sanitation systems, cooking appliances and more. Swift incorporates Thetford's high quality products into our designs, ensuring an exceptional and hassle-free leisure experience for you.



Dometic, a global market leader in mobile living solutions, offers smart, reliable products for food, climate, power, and other applications, enhancing Swift's motorhomes with outstanding design and functionality.



## More control with Swift Command

Only available with our Kon-Tiki range, Swift Command monitors and controls the onboard systems via a touch screen panel and a smartphone app, so you can always be in control.

With the convenience of your mobile device, you can access the onboard interface using Bluetooth when near your motorhome or via your internet connection when remote.

Swift Command enables you to track system levels such as power, temperature, and humidity, and monitor the location of your vehicle. You can even control the heating, activating it for a warm return on colder days.

The app also lets you set up notifications to keep you informed of important functions, such as battery levels, frost alerts and alarm status.

Head to the Apple or Android store and search for 'Swift Command'.



For even greater peace of mind, you can subscribe to the Thatcham Category S7 approved pro-active tracker to add extra security to your vehicle.

Swift Command Tracker by Sargent is monitored by an approved monitoring centre which operates 24 hours a day 7 days a week and provides European coverage and direct police liaison. This system is ready for use, all you need to do is purchase a tracking subscription by visiting [www.swiftcommand.co.uk](http://www.swiftcommand.co.uk) or calling Sargent on 01482 881655.



### Lighting

Create just the right ambience onboard with easily adjustable lighting settings.



### Location and remote features

Connect to your leisure vehicle from anywhere to view its systems information and location.

Conveniently control and monitor your onboard services when away from your vehicle.



### Water

Keep an eye on your precious water levels so you know in good time when to top-up.



### Heating

Activate whilst out exploring and enjoy the warmth when you get back.



### Fridge

Track your energy use and manage your batteries for efficient use of your all important power services (model specific).



### Power

Track your energy use and manage your batteries for efficient use of your all important power services.





## Get personal with My Swift Life

Replacing Connect Direct (our previous customer portal), My Swift Life is now available to all Swift caravan and motorhome owners\*

My Swift Life provides owners with a unique personal profile, where you can access information that's specific to your caravan or motorhome, including; outstanding warranty claims, service information and a direct line into our Swift customer experience team.

Log in to My Swift Life and report faults directly to Swift, enabling us to work together and allowing us to respond more quickly to your needs. Our new platform hosts a variety of information,

including product notifications, customer bulletins, product recalls and upgrades, as well as important notifications about our products and services.

Using My Swift Life, you can also view chargeable orders that have been placed on your behalf, by your Swift dealer or servicing provider, along with any outstanding warranty claims from the date of ownership.

What's more, you'll have access to useful tips and our comprehensive "How To" video library, designed to help you familiarise yourself with your Swift caravan or motorhome.

\* Available to UK registered customers only.

### Join My Swift Life for all this and more!

- Access to useful "How To" video guides
- Access to personalised information 24/7
- Ability to report faults directly to our customer care team
- Authorised claims passed directly to dealer to speed up the warranty process
- Product upgrades notifications
- Live messaging direct into Swift's customer experience retail team, including direct access to tech support
- Upload service history records
- Service history reminders
- Useful bulletins and alerts



### Find out more

Scan this QR code to see all of what My Swift Life has to offer




## Join the club! Swift owners clubs

### Swift Motorhome Owners Club

We are a group of like minded people who meet up throughout the year at Rallies held by the Club.

Some Rallies coincide with National Motorhome Shows, some take us to luxury campsites, others abroad - in short we aim to provide something for everyone.

Our members come from all walks of life, and all parts of the country. The 'vans' they own vary from large to small and from very new to very well used. The common bond between us is that we own a Swift Group motorhome. Membership of the club is open to anyone who is the owner of a Swift Group motorhome.



### Join up!

Scan this QR code to find out more about joining the Swift Motorhome Owners Club



### Join up!

Scan this QR code to find out more about joining the Swift Owners Club

### Swift Owners Club

The Swift Owners Club is the natural home for owners of Swift Group caravans and motorhomes. Our members come from all walks of life and include families, couples, single and retired people. Everyone, including pets, are welcome!

Joining our Club offers a host of social benefits and is probably one of the best investments you could make. If your caravan or motorhome is a brand owned by the Swift Group, or is an Airstream caravan (model years 2017, 2018 or 2019), what are you waiting for?



Join the Swift community



Visit our website at [swiftgroup.co.uk](https://swiftgroup.co.uk)

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. Please note, within this brochure, concept imagery may be used and therefore final specifications may be subject to change. Please confirm with your supplying dealer. All props are for photographic purposes only and are not included in the specification. Models shown may be fitted with optional extras. Issued September 2023.

